

NATIONAL LIBRARY OF MEDICINE

Bethesda, Maryland

A
C A T A L O G U E
OF THE
BRITISH, MEDICINAL, CULINARY,
AND AGRICULTURAL
P L A N T S,
CULTIVATED IN THE
LONDON BOTANIC GARDEN.

By WILLIAM CURTIS,
Author of the FLORA LONDINENSIS.

To which are prefixed,
P R O P O S A L S
For opening it by Subscription.

L O N D O N:
Sold by B. WHITE, Fleet-street; SEWELL, Cornhill;
ROBINSON, Pater-noster Row; PAYNE, Pall-Mall; and
DEBRETT, Piccadilly.

M DCC LXXXIII.

[Price Three Shillings and Six-pence.]

ה'תש"ח

ה'תש"ח

ה'תש"ח

ה'תש"ח

ה'תש"ח

ה'תש"ח

ה'תש"ח

ה'תש"ח

ה'תש"ח

ה'תש"ח

TO THE HONOURABLE

DAINES BARRINGTON,

THOMAS WHITE, Esq.

AND THE REST OF THE

S U B S C R I B E R S

TO THE

LONDON BOTANIC GARDEN,

THIS

CATALOGUE OF ITS CONTENTS,

IS WITH THE SINCEREST

GRATITUDE AND RESPECT,

INSCRIBED BY

W. CURTIS.

LIST OF THE SUBSCRIBERS.

R OGER Altham, Esq.

Mr. William Alexander.

Right Honourable the Earl of Bute.

Honourable Daines Barrington.

Sir Joseph Banks, Baronet.

John Baker, Esq.

Mrs. Rachael Barclay.

George Buxton, M. D.

Peter Calvert, LL. D.

Mr. Richard Calvert

Mr. John Dyer.

John Delamare, Esq.

Mr. John Darby

H. Grimston, Esq.

Messieurs Gordon, and Co.

Nich. Gwyn, M. D.

Busick Harwood, M. D.

Robert Hallifax, Esq.

Mrs. Hill

John Ibbettson, Esq.

Robert

Robert Jenner, Esq.
 Rev. Richard Kaye, D. D.
 Mrs. King.
 J. C. Lettsom, M. D.
 George Morris, Med. Stud.
 Right Honourable the Earl of Plymouth.
 Mr. William Parker.
 John Rawlinson, M. D.
 John Sims, M. D.
 Rev. G. S. Townly
 Mrs. Vafston.
 James Vere, Esq.
 Hon. Thomas Fr. Wenman.
 Thomas White, Esq.
 Dr. William Wynne
 Mr. Thomas Willis
 William Watfon, M. D.
 Mr. Abraham Winterbottom.
 Mr. William Wooton, Apothecary.
 Mr. William Zachary

S I T U A T I O N.

THE *London Botanic Garden* is situated very near the *Magdalen-Hospital, St. George's-Fields*, in the road from the said hospital to *Westminster-Bridge Turnpike*, through *Lambeth Marsh* village.

Its situation being low, renders it peculiarly favourable to the growth of aquatic and bog plants, and all such as love a moist bottom, an inestimable advantage in dry summers.

TERMS OF SUBSCRIBING.

PERSONS subscribing one guinea a year are entitled to walk in the garden, use the library, and introduce one person.

Persons subscribing two guineas a year have the additional privilege of introducing more than one, either in person or by ticket, and of receiving roots or seeds of such plants as can be spared without diminishing the necessary stock of the said garden.

No flowers plucked, nor specimens taken but by permission.

The garden open to subscribers every day in the week, except Sunday.

Subscriptions taken in at the Garden.

E R R A T A.

- Page 12, line 2, for *place* read place
 — 27, — 2, — *curalavense* r. curallavense
 — 27, — 10, — *Broocklime* r. Brooklime
 — 31, — 17, — *cineris* r. cinereus
 — 32, — 11, — *Hofebound* r. Horehound
 — 32, — 18, — *Oethusa* r. Aethusa
 — 35, — 12, — *Saliva* r. Salvia
 — 65, — 11, — *bouum* r. boum
 — 70, — 19, — *Cannalis* r. Cannabis
 — 96, — 29, — *Twayman* r. man
 — 96, — 30, — *blade* r. Twayblade
 — 114, — 19, — *Bur-red* r. Bur-reed

PROPOSALS, &c.

IT must be allowed, that all human knowledge ought to be subservient to the good of society, and in proportion as this is advanced by any science, so ought that science to be held in esteem.

Providence in his unerring wisdom, having allotted to mankind different capacities, and implanted in them propensities to particular pursuits; so that what is matter of the greatest satisfaction to one, shall be perfectly insipid to another, it is no wonder that they should differ so widely in the apprehended utility of their respective employments; each from a principle predominant in the human mind, being willing to think his own of the greatest importance; and so strongly is this idea impressed on the minds of some, as to betray them into a narrowness of thinking, inconsistent with that liberality of sentiment, which would excite a wish for the universal increase of science, when connected, even in the remotest degree, with the interests of mankind.

Without derogating then in the least from the utility of other arts, I shall, in a few words, endeavour to point out the advantages of BOTANY, a science which this design is particularly intended to promote.

Among all the studies which engage mankind, few are attended with circumstances equally pleasing in their pursuit; few can boast that infinite variety of objects which are perpetually engaging our attention, and inviting us to partake of pleasures equally rational and innocent *.

It is a science which has been cultivated by the wisest of mankind, and particularly by the most distinguished professors of the medical art.—Here, as philosophers, we may admire, and contemplate the beautiful works of an Almighty Being; what an infinite display of wisdom is observable in the different modes of the growth, and propagation of

* MILTON describes our first parents recreating themselves with a kindred employment.

“ Awake, the morning shines, and the fresh field
 “ Calls us, we lose the prime, to mark how spring
 “ Our tender plants, how blows the citron grove,
 “ What drops the myrrh, and what the balmy reed.”

plants :

plants ! what care is taken in perpetuating the succession of each species ! how admirably are they adapted to grow in every different soil, and situation, so as to leave no part of the globe, not even rocks and stones uncovered ! with what regular order, and in what constant succession, do they flower and produce their seeds ! In short, a person of an inquisitive, or contemplative turn will find in plants an endless source of innocent delight ; another world, as it were, opens to his view, he beholds the face of nature through a new medium of vision, and has the superior pleasure of being able to read in that book which to the generality of mankind is a mere blank.

The importance of this science as a branch of medical knowledge is happily expressed by the late ingenious Dr. Gregory, the ornament of his profession, and I may add of human nature ; in his advice to the young Physician, he thus delivers his sentiments on this head : “ *The science of botany is subservient to the practice of physic as far as it facilitates the knowledge of plants, by reducing them into the most commodious and perfect system ; and although it is not necessary to be particularly acquainted with the name and history of every plant, yet every one ought to*

“ *be so well founded in the principles of botany as to be*
 “ *able to find its place in the system, and to describe it*
 “ *scientifically*: AND WE OUGHT TO BE PARTICULARLY ACQUAINTED WITH EVERY MATERIAL CIRCUMSTANCE RELATIVE TO THOSE PLANTS WHICH ARE USED IN DIET OR MEDICINE.”

It is however, much to be regretted, that this science is so little attended to by gentlemen of the faculty in this country, as it obliges them to depend on the skill of the ignorant, and illiterate, for many of their efficacious officinal plants, frequently at the expence of their own characters, and of all that is valuable to their patients.

Although newly discovered chemical remedies and foreign drugs, may have justly superseded many of our English plants, yet a great number are still retained in our Pharmacopœa, and many possess very poisonous qualities; to be acquainted with these at least, is the duty of every one, that takes on himself the important character of guardian of the healths of mankind.

But it is not to physic alone, that botany is subservient, perhaps it may be applied with as much advantage

advantage to agriculture, as to any other science. In this enlightened age, when arts and sciences are carried to a pitch unthought of in former times, we might expect a nation celebrated not less for its arts, than its arms, would be the first to promote a science, whose improvements are the only solid check to the baneful, and enervating effects of luxury, and dissipation; and accordingly we find many of our nobility, gentlemen of landed property, and public societies, fully aware of its importance, and endeavouring by premiums, and a variety of other means, to improve it; much however still remains to be done, nor is it probable that their endeavours will be crowned with success, 'till botany is more cultivated, and plants, particularly the grasses, better understood.

How incapable most of our modern writers on agriculture are of communicating their discoveries for want of botanic information; and how much the progress of this most useful science is thereby retarded, must be obvious to all those who have perused their writings with any degree of attention.

I am inclined to suppose, that this inattention of the faculty and others to botany, proceeds in a
great

great measure from a want of opportunity to acquire it, and that if the means were afforded, there would no longer be cause of complaint or censure.

To afford the means of obtaining this knowledge is the object of the present institution—an institution which has been attended with considerable expence, and cost the author much time and attention, should he have the pleasing satisfaction of seeing it become productive of national utility, that time he shall think usefully employed and that attention most happily bestowed.

The more effectually to succeed in promoting the knowledge previously recommended, as so essential to the interests of individuals, and the community at large, he has selected from the boundless field of vegetable productions, certain classes of plants, universally acknowledged to be either the most useful, or the most necessary to be known; by which means the student's attention is more immediately directed to the objects of his pursuit, these are the *medicinal, culinary, poisonous, agricultural* and *british* plants, all of which classes are kept in *separate and distinct quarters*, express'd
in

in the plan of the garden; to these are added two other quarters, the one containing such plants as are calculated to instruct the student in the principles of the Linnæan system, being living examples of most of his classes and orders, the other furnished with hardy, ornamental flowers and shrubs, chiefly exotic, and cultivated in the gardens of the curious.

As the practical part of Botany as well as of every other science is the most useful, so it is presumed, the mode of communicating this knowledge is such as will meet with general approbation, this is effected by having the generic and trivial name of each plant according to Linnæus, painted in a legible hand, and affixed to it, and that none may lose the advantage of acquiring a knowledge of plants from a non-acquaintance with Latin, the English names also are added, with a view that Botany in this familiar dress, might be instructive to those, whom the bare mention of a long hard-sounding Latin name might tend to discourage.

And the author is ready to flatter himself that many persons who are naturally fond of plants and flowers, will be ready to encourage an undertaking

taking of this kind, by which, at the same time, that they indulge their particular taste, they may insensibly acquire knowledge

It has been objected by a few, that a knowledge of plants thus easily acquired, is as easily forgotten; but this must certainly be more the fault of the students, than the method, as they may without molestation spend as much time as they please in investigating them, and becoming perfectly acquainted with their characters; and, still farther, to assist them in their studies, a library of those books most necessary for students is open to their inspection.

It now remains for the author to express his gratitude to those who have patronized, encouraged, and assisted him in his undertaking.

To the generosity and public spirit of the honourable *Daines Barrington* and *Thomas White, Esq.* his principal patrons in this undertaking, the garden in a great degree owes its existence.

From his Majesty's matchless collection of plants in the *Royal Garden at Kew*, kept up with the most
unre-

unremitting attention by that intelligent botanist and gardener, *Mr. Aiton*, he has had the honour to receive many scarce and valuable plants, both british and foreign; as also from the gardens of the *Earl of Bute*, at *Luton*; the *Duchess Dowager of Portland*, at *Bulstrode Park*; the late *Dr. Fothergill*, at *Upton*; *Dr. Pitcairn*, at *Islington*; *Dr. Lettsom*, at *Grovehill, Camberwell*; and the *Apothecaries Company*, at *Chelsea*.

He is also indebted for plants to the Right Hon. the *Earl of Plymouth*; *Sir Joseph Banks, Baronet*; *Rev. J. Lightfoot, Uxbridge*; *Rev. Dr. Goodenough, Ealing*; *Thomas Frankland, Esq; York*; *T. G. Cullum, Esq; Reverend Mr. Laurents, Bury*; *James Crowe, Esq; Norwich*; *Thomas Woodward, Esq; Bungay*; *Mr. Dickson, Covent-Garden*; *Mr. Seale, Bath*; *Mr. William Fothergill, Wensleydale, Yorkshire*; *Rev. T. Woodford, Winchester*; *Rev. J. Davies*; *Rev. R. Relhan, Cambridge*; *Dr. Calvert, LL D.*; *Mr. Grimston, Northampton*; *Mr. Howard, Knutsford, Cheshire*; *Mr. Cockfield, Upton*; *Mr. Wagstaff, Norwich*; *Mr. Sparshall, Yarmouth*; *Mr. Alexander, Hallifax*; *Mrs. Curtis, Alton*; *Mrs. King, Blackbeath*; *Mr. Wheeler, Mr. Willis, Mr. Sibley, Mr. Ridout, Mr. Upham, London*; *Mcffrs. Lee, Gordon, Malcolm, Drivers, Lodiges*

diges and Grimwood, Nurserymen ; Rev. Mr. Lyon, Dover ; and Mr. Rayer, London ; he is fearful he has omitted many other kind contributors, he hopes such will not be offended, and, that there are yet many persons in different parts of Great Britain who will not need the stimulus of example to furnish the author with many of his desiderata.

Pages 19-20 missing

A
C A T A L O G U E
OF THE
MEDICINAL PLANTS
CULTIVATED IN THE
LONDON BOTANIC GARDEN.

Medicus omnium stirpium (si fieri potest) Peritiam habeat :
Sin minus plurimum faltem, quibus frequenter utimur.

GALEN. *Lib. I. Antidot.*

PROME etiam, seu tunde prius; seu contere gyro
Quod viride hortus habet, vel quod carnaria siccum;
Allia, scrpyllumque herbas, thymbramque salubrem;
Brassicaque et raphanos, ac longis intyba fibris
Et mentam, et sinapi, coriandrum, prototomumque,
Erucam, atque apium, malvam, betamque salubrem,
Rutamque et nasturcum, et amara absinthia misce,
Puleiumque potens, nec non et lene cymium.
Palmula nec desint Idumes, nec pruna Damasci.
Adde et aromaticas species, quas mittit Eous
Vel quæ Judaicis fragrant bene condita capsis
Tus, costum, folium, myrrham, styracem, crocomagma,
Aspalathum; gallam, elleborum, nigrumque bitumen;
Et nardum, et cassias, et anoma, et cinnama rara,
Balsama, peucedanum, spicam, crocum atque bedellam,
Irim, castoreum, scillamque, opium, panaceam,
Resinam, lepidum, euforbium, git atque pyretrum.
Zinziber et calidum, mordax piper, et laser algeri,
Agaricumque, asarumque potens, aloën, aconitum,
Galbana, sandaracam, samfucum, pforicum, alumen,
Acaciam, propolimque, et adarchen, cnicon, acanthum,
Andrachnen, acoronque, opopanaca, pounpholygemque,
Cyperum, ladanum, sagapenonque, et tragacanthum,
Scammoniam, cypen, malabathron, ammoniacon.

Marcellus de Medicina.

BY the wise and unchangeable laws of nature, established by a Being infinitely good, and infinitely powerful, not only Man, the lord of the creation, “ fair form who wears sweet smiles, and looks erect on heaven,” but every subordinate being, becomes subject to decay and death; pain and disease, the inheritance of mortality, usually accelerate his dissolution; to combat these, to alleviate when it has not the power to avert, *Medicine*, honoured art, comes to our assistance.

It will not be expected that we should here give a history of this ancient practice, or draw a parallel betwixt the success of former Physicians and those of modern times; all that concerns us to remark is, that the ancients were infinitely more indebted to the vegetable kingdom for the materials of their art than the moderns: not so well acquainted with the œconomy of nature, which teaches us that plants were chiefly destined for the food of various animals, they sought in every herb some latent healing virtue, and frequently endeavoured to make up the want of efficacy in one by the combination of numbers; hence the extreme length of their farraginous prescriptions.

More

More enlightened ideas of the operations of medicines, joined to several powerful remedies drawn from the mineral kingdom, have taught the moderns greater simplicity and conciseness in practice; perhaps there is a danger that this simplicity may be carried too far, and become finally detrimental to the exercise of the healing art.

In selecting the plants used in the practice of physic, commonly called *officinals*, we have confined ourselves to those enumerated in the dispensatories of this kingdom, dividing them into two classes, one of which may be distinguished by the name of *usitatae*, and the other *minus usitatae*; in the former we include all those of the present LONDON and EDINBURGH *Pharmacopœias*, in the latter such as are omitted by the colleges, but retained in LEWIS's Dispensatory, with some few of modern introduction.

Those plants which have numbers prefixed to them, are at present growing in the garden, those which have none have not yet been obtained, and such as have an asterisk are either the produce of warmer climates, and to be found only in the stoves and conservatories of the curious, or incapable of being cultivated.

MEDICINAL PLANTS

OF THE

LONDON AND EDINBURGH

DISPENSATORIES.

L. E.	1	Abrotanum mas	Southernwood	Artemisia Abrotanum
L.	2	Abfinthium maritimum	Sea Wormwood	Artemisia maritima
L. E.	3	Abfinthium vulgare	Common Wormwood	Artemisia Abfinthium
L.	*	Acacia	Acacia	Mimosa nilotica
E.	4	Acetofa	Sorrel	Rumex Acetofa
E.	5	Aconitum	Blue Monkshood	Aconitum Napellus
L.	*	Agaricus	Larch Agaric	Boletus Pini Laricis
E.	*	Agaricus	Oak Agaric	Boletus ignarius
L. E.	6	Allium	Garlic	Allium Sativum

D

Medicinal Plants of the London and Edinburgh Dispensatories.

L.	E.	*	Aloe Socotorina	Socotrine Aloes	{	Aloe perfoliata
L.	E.	*	Aloe Hepatica	Horse Aloes		Althæa officinalis
L.	E.	7	Althœa	Marshmallow		Ammi majus
L.		8	Ammi	Common Bishop's Weed		Sifon Amomum
L.	E.	9	Amomum	Common Amomum		Aminoniacum
L.	E.	*	Ammoniacum	Gum Amoniac		{
L.	E.	10	Amygdalæ {	Almonds {		Amygdalus communis
	E.		Amaræ	Bitter		Anchusa tinctoria
	E.		Dulces	Sweet		Anethum graveolens
L.	E.	11	Anchusa	Alkanet		Angelica Archangelica
L.	E.	12	Anethum	Dill		Angelica sylvestris
L.	E.	13	Angelica fativa	Garden Angelica		Pimpinella Anisum
L.	E.	14	Angelica sylvestris	Wild Angelica		Aristolochia Clematitis
L.	E.	15	Anisum	Aniseed		Aristolochia longa
L.	E.	16	Aristolochia tenuis	Slender Birthwort		Artemisia vulgaris
L.	E.	17	Aristolochia longa	Long Birthwort		Arum maculatum
L.	E.	18	Artemisia	Mugwort		Ferula Asiaœtida
L.	E.	*	Arum	Cuckowpint		Afarum Europæum
L.	E.	19	Asiaœtida	Afaœtida		Chenopodium Vulvaria
L.	E.		Afarum	Afarabacca		
L.	E.		Atriplex olida	Stinking Orach		

L.	E.	*	Aurantium hispalense	Seville Orange	{ Citrus Aurantium
L.	E.	*	Aurantium curalavense	Curaffoa Orange	Punica Granatum
	E.	20	Balausia	Balaustines	Pinus balfamea
	E.	21	Balfamum canadense	Canada Balfam	Copaifera officinalis
L.	E.	*	Balfamum Copaiva	Balfam Capivi	Peruifera
L.	E.	*	Balfamum Peruvianum	Balfam of Peru	I'oluifera Balfamum
L.	E.	*	Balfamum Tolutanum	Balfam of Tolu	Arctium Lappa
	E.	22	Bardana	Burdock	Edellium
L.		*	Bdellium	Bdellium	Veronica Becabunga
L.		23	Becabunga	Broocklime	Atropa Belladonna
	E.	24	Belladonna	Deadly Nightshade	Croton Benzoë
L.	E.	*	Benzoinum	Gum Benjamin	Polygonum Biforta
L.	E.	25	Biforta	Bifort	Bryonia alba
	E.	26	Bryonia	Bryony	Buxus fempervirens
		27	Buxus	Box	Acorus Calamus
L.		28	Calamus aromaticus	Sweet Flag	Meliffa Nepeta
L.	E.	29	Calamintha	Field Calamint	Laurus Camphora
L.	E.	*	Camphora	Camphor	Winterania Canella
L.	E.	*	Canella alba	False Winter's Bark	Amomum Cardamomum
L.	E.	*	Cardamomum	Cardamoms	Centaurea benedicta
L.	E.	30	Carduus benedictus	Blessed Thistle	

Medicinal Plants of the London and Edinburgh Dispensaries.

31	Carica	Fig	Ficus Carica
L.	Carpobalsamum	Carpobalsam	Amyris Opobalsamum
L.	Carum	Caraway	Carum Carui
L.	Caryophylla aromatica	Clove	Caryophyllus aromaticus
L.	Caryophylla rubra	Clove july flower	Dianthus Caryophyllus
L.	Cascarilla	Cascarilla	Croton Cascarilla
L.	Cassia fistularis	Cassia fistula	Cassia fistula
L.	Castumunar	Castumunar	
L.	Centaurium minus	Centaury	Gentiana Centaurium
L.	Cepa	Onion	Allium Cepa
L.	Chamædrys	Germander	Teucrium Chamædrys
L.	Chamæmelum	Camomile	Anthemis nobilis
L.	Chamæpitrys	Groundpine	Teucrium Chamæpitrys
L.	Cicuta	Hemlock	Conium maculatum
L.	Cinnamomum	Cinnamon	Cinnamomum
L.	Cochlearia	Scurvy-grass	Cochlearia officinalis
L.	Colchicum	Meadow-saffron	Colchicum autumnale
L.	Colocynthis	Coloquintida	Cucumis Colocynthis
L.	Colomba	Columbo root	
L.	Contrayerva	Contrayerva	Dorstenia Contrayerva
L.	Convallaria	Solomon's Seal	Convallaria Polygonatum

L. E. 43	Coriandrum	Coriander	Coriandrum fativum
L. E. *	Cortex peruvianus	Jesuits Bark	Cinchona officinalis
L. E. *	Costus	Costus	Costus arabicus
L. E. 44	Crocus	Saffron	Crocus sativus
L. E. *	Cubebæ	Cubebs	Piper caudatum
L. E. 45	Cucumis agrestis	Elaterium	Momordica Elaterium
L. E. *	Curcuma	Turneric	Curcuma longa
L. E. 46	Cydonia mala	Quinces	Pyrus Cydonia
L. E.	Cuminum	Cumin	Cuminum Cuminum
L. E.	Cynobatos	Hips	Rosa canina
L. E. *	Daucus creticus	Candy Carrot	Athamanta cretensis
L. E. 48	Daucus sylvestris	Wild Carrot	Daucus Carota
L. E. 49	Dictamnus creticus	Dittany of Crete	Origanum Dictamnus
L. E. 50	Dulcamara	Woody Nightshade	Solanum Dulcamara
L. E. 51	Elatine	Fluellin	Antirrhinum Elatine
L. E.	Eleutheria, <i>vid.</i> Cascar.		
L. E. 52	Enula campana	Elecampane	Inula Helenium
L. E. 53	Eryngium	Eryngo	Eryngium maritimum
L. E. 54	Flammula Jovis	Upright Travellees Joy	Clematis recta
L. E. 55	Feniculum dulce	Sweet Fennel	} Anethum Feniculum
L. E. 55	Feniculum vulgare	Fennel	

Medicinal Plants of the London and Edinburgh Dispensatories.

L.	E.	56	Fænum græcum	Fenugreek	Trigonella Fænum græcum
L.	E.	57	Fumaria	Fumitory	Fumaria officinalis
L.	E.	*	Galbanum	Galbanum	Bubon Galbanum
L.	E.	*	Gambogia	Gamboge	Cambogia Gutta
L.	E.	58	Genista	Broom	Spartium Scoparium
L.	E.	59	Gentiana	Gentian	Gentiana lutea
L.	E.	60	Gladiolus luteus	Yellow-flag	Iris Pseudacorus
L.	E.	61	Glycyrrhiza	Liquorice	Glycyrrhiza glabra
L.	E.	62	Granatum	Pomegranate	Punica Granatum
L.	E.	*	Guajacum	Guajacum	Guajacum officinale
L.	E.	*	Gummi Ammoniacum	Gum Ammoniac	Ammoniacum
L.	E.	*	Gummi Arabicum	Gum Arabic	Minofa nilotica
L.	E.	*	Gummi Elemi	Gum Elemi	Amyris elemifera
L.	E.	63	Gummi Tragacantha	Gum Tragacanth	Astragalus Tragacantha
L.	E.	64	Hedera terrestris	Ground-ivy	Glechoma hederacea
L.	E.	65	Helleborus albus	White Hellebore	Veratrum album
L.	E.	66	Helleborus niger	Black Hellebore	Helleborus niger
L.	E.	67	Hippocastanum	Horse Chestnut	Æsculus Hippocastanum
L.	E.	68	Hordeum distichum	Barley	Hordeum vulgare
L.	E.	69	Hydrolapathum	Water Dock	Rumex Hydrolapathum
L.	E.	70	Hyoscyamus	Henbane	Hyoscyamus niger

L.	E.	71	Hypericum	St. John's Wort	Hypericum perforatum
L.		*	Hypocifis	Hypocifis	Cytinus Hypocifis
L.	E.	72	Hyllopus	Hyllopus	Hyllopus officinalis
L.	E.		Jalapum	Jalap	Convolvulus Jalapa
L.	E.	73	Imperatoria	Masterwort	Imperatoria Ostruthium
L.	E.	*	Ipecacuanha	Ipecacuanha	Viola Ipecacua
L.	E.	74	Iris florentina	Florentine Orrice	Iris florentina
L.	E.	75	Iris palustris	Yellow Water-flag	Iris Pseudacorus
L.			Juncus odoratus	Cancels hay	Andropogon Schœnanthus
L.	E.	76	Juniperus	Juniper	Juniperus communis
L.	E.	*	Kermes	Kermes grains	Quercus coccifera
L.	E.	*	Kino	Gum Kino	
L.		77	Labdanum	Gum Labdanum	Cistus creticus
L.		78	Lamium album	White Archangel	Lamium album
L.	E.	79	Lavandula	Lavender	Lavandula Spica
L.	E.	80	Laurus	Bay	Laurus nobilis
L.		*	Lichen cineris terrestris	Ash cold ground	Lichen caninus
L.	E.	81	Ligusticum	Lovage	Ligusticum Levificum
L.		*	Lignum Rhodium	Rhodium Wood	Genista canariensis
L.	E.	*	Lignum campechense	Logwood	Hæmatoxylum campechianum

Medicinal Plants of the London and Edinburgh Dispensaries.

32	L.	E.	* Limonia mala	Lemon	Citrus medica
	L.	E.	32 Linum	Linseed	Linum usitatissimum
	L.		33 Lujula	Wood sorrel	Oxalis Acetofella
	L.		* Micis	Mace	Myristica
	L.	E.	34 Majorana	Marjoram sweet	Origanum Majorana
	L.		* Malabathrum	Indian leaf	Laurus Cassia
	L.	E.	35 Malva	Willow	Malva sylvestris
	L.	E.	36 Manna	Manna	Fraxinus Ornus
	L.		37 Marum syriacum	Syrian herb Mastick	Teucrium Marum
	L.		38 Marum vulgare	Herb Mastick	Thymus mastichina
	L.	E.	39 Marrubium	Hofehound	Marrubium vulgare
	L.	E.	* Mastiche	Gum Mastick	Pistachia Lentiscus
	L.	E.	Melampodium, v Helleb. nig.		
	L.		40 Matricaria	Feverfew	Matricaria Parthenium
	L.	E.	41 Melissa	Balm	Melissa officinalis
	L.	E.	42 Mentha piperitis	Peppermint	Mentha Piperitis
	L.	E.	43 Mentha vulgaris	Spearmint	Mentha viridis
	L.	E.	44 Menyanthes	Buckbean	Menyanthes trifoliata
	L.		45 Meum athamanticum	Spignel	Oethusa Meum
	L.	E.	46 Mezercon	Mezercon	Daphne Mezereon
	L.	E.	47 Millefolium	Yarrow	Achillea Millefolium

Medicinal Plants of the London and Edinburgh Dispensatories.

33

L.	98	Morus	Mulberry	Morus nigra
L.	*	Myrrha	Myrrh	Myrrha
L.	99	Napus	Sweet Navev	Brassica Napus
L.	*	Nardus celtica	Celtic Spikenard	Valeriana celtica
L.	*	Nardus indica	Indian Spikenard	Andropogon Nardus ¹
L.	100	Nasturtium aquaticum	Water-cress	Sisymbrium Nasturtium
L.	101	Nepeta	Cat-mint	Nepeta Cataria
L.	102	Nicotiana	Tobacco	Nicotiana Tabacum
L.	*	Nux moschata	Nutmeg	Myristica
L.	*	Olea fativa	Olive	Olea Europæa
L.	*	Olibanum	Olibanum	Juniperus lycia
L.	*	Opium, <i>vid.</i> Papaver		
L.	*	Opoponax	Opoponax	Pastinaca Opoponax
L.	103	Origanum	Wild Marjoram	Origanum vulgare
L.	104	Pæonia	Piony	Pæonia officinalis
L.	105	Palma Christi, <i>vid.</i> Ricinus		
L.	*	Palma oleosa	Palm-oil	Palma oleosa
L.	106	Papaver album	Garden Poppy	Papaver somniferum
L.	107	Papaver erraticum	Corn Poppy	Papaver Rheas
L.	108	Paralysis	Cowslip	Primula veris
L.	109	Parietaria	Pellitory of the wall	Parietaria officinalis
				E

L.	110	Pentaphyllum	Cinquefoil	Potentilla reptans
L.	*	Petrofelinum macedonicum	Macedonian Parsly	Bubon macedonicum
L.	111	Petrofelinum vulgare	Common Parsly	Apium Petrofelinum
L.	*	Pimenta	Jamaica Pepper	Myrtus Pimenta
L.	112	Pimpinella Saxifraga	Burnet Saxifrage	Pimpinella Saxifraga
L.	*	Piper album	White Pepper	Piper nig. decort.
L.	*	Piper Jamaicense, v. Pimenta		
L.	*	Piper longum	Long Pepper	Piper longum
L.	*	Piper nigrum	Black Pepper	Piper nigrum
L.	113	Pix arida	Common Pitch	Pinus sylvestris
L.	114	Pix burgundica	Burgundy Pitch	Pinus Abies
L.	115	Pix liquida	Tar	Pinus sylvestris
L.	116	Plantago	Plantain	Plantago latifolia
L.	117	Polium	Poley-mountain	Teucrium creticum
L.	118	Pruna gallica	Prunes	Prunus domestica
L.	119	Pruna sylvestria	Sloes	Prunus communis
L.	120	Pulegium	Pennyroyal	Mentha Pulegium
L.	121	Pulsatilla nigricans	Meadow Pasque flower	Anemone pratensis
L.	*	Pyrethrum	Pellitory of Spain	Anthemis Pyrethrum
L.	122	Quercus	Oak	Quercus Robur
L.	123	Raphanus ruficandus	Horfe-radish	Cochlearia Armoracia

L.	E.	124	Rhabarbarum	Rhubarb	Rheum palmatum
L.	E.	125	Ricinus	Palma Christi	Ricinus communis
L.	E.	126	Rhamnus, <i>vid.</i> Spin. Cerv.	Rosemary	Rosmarinus officinalis.
L.	E.	127	Rorismarinus	Damask Rose	Rosa centifolia
L.	E.	128	Rosa damascena	Red Rose	Rosa gallica
L.	E.	129	Rosa rubra	Madder	Rubia tinctorum
L.	E.	130	Rubia tinctorum	Raspberry	Rubus Idæus
L.	E.	131	Rubus Idæus	Rue	Ruta graveolens
L.	E.	132	Ruta	Savine	Juniperus Sabina
L.	E.	133	Sabina	Sugar	Saccharum officinarum
L.	E.	*	Saccharum	Sagapenum	Sagapenum
L.	E.	*	Sagapenum	Sage	Salvia officinalis
L.	E.	133	Salvia	Elder	Sambucus nigra
L.	E.	134	Sambucus	Dragons Blood	Calamus Rotang
L.	E.	*	Sanguis Draconis	Yellow Saunders	Santalum album
L.	E.	*	Santalum citrinum	Red Saunders	Santalum rubrum
L.	E.	*	Santalum rubrum	Wormseed	Artemisia judaica
L.	E.	*	Santonium	Sarcocol	Penæa mucronata
L.	E.	*	Sarcocolla	Sarsaparilla	Smilax Sarsaparilla
L.	E.	*	Sarsaparilla	Sassafras	Laurus Sassafras
L.	E.	*	Sassafras		

Medicinal Plants of the London and Edinburgh Dispensatories.

E. 135	Satyrium	Salep	Orchis mafcula
L. 136	Scammonium	Scammony	Convolvulus Scammonium
L. 137	Scilla	Squill	Scilla maritima
L. 138	Scolopendrium	Hart's Tongue	Asplenium Scolopendrium
E. 139	Scordium	Water Germander	Teucrium Scordium
E. *	Seneka	Rattlefnake root	Polygala Senega
E. *	Senna	Senna	Caffia Senna
L. 140	Serpentaria Virginiana	Virginian Snake Root	Aristolochia Serpentaria
L. 141	Serpyllum, <i>vid.</i> Thymus		
E. 142	Sefelis	Hartwort	Laferpitium Siler
E. 143	Sigillum Solomonis	Solomon's Seal	Convallaria Polygonatum
E. *	Simarouba	Simarouba	Quaffia dioica
L. 144	Sinapis	Mustard	Sinapis nigra
L. 145	Spina cervina	Buckthorn	Rhamnus catharticus
L. 146	Stoechas	French Lavender	Lavandula Stœchas
F. 147	Stramonium	Thorn Apple	Datura Stramonium
E. *	Styrax	Storax	Styrax officinale
E. 148	Symphytum	Comfrey	Symphytum officinale
L. 149	Tamarindus	Tamarind	Tamarindus indica
L. 150	Tanacetum	Tanfy	Tanacetum vulgare
E. 151	Taraxacum	Dandelion	Leontodon Taraxacum

E. 148	L.	Terebinthina veneta	Venice Turpentine	Pinus Larix
149	L.	Terebinthina argentoratensis	Straßburgh ditto	Pinus Picea
150	L.	Terebinthina Chia	Cypreſs ditto	Piſtacia Terebinthus
* 150	L.	Terebinthina communis	Common ditto	Pinus ſylveſtris
151	L.	Terra Japonica	Japan Earth	Mimosa Catechu
152	L.	Thlaſpis	Treacle Muſtard	Thlaſpi arvenſe
153	L.	Thus	Frankincenſe	Pinus ſylveſtris
154	L.	Thymus	Thyme	{ Thymus vulgaris E. Thymus ſerpyllum L.
155	L.	Tilia	Lime-tree	Tilia europæa
156	L.	Tormentilla	Tormentil	Tormentilla erecta
157	L.	Tragacantha	Gum Tragacanth	Aſtragalus Tragacantha
158	L.	Trichomanes	Maiden hair	Aſplenium Trichomanes
159	L.	Trifolium paluſoſum	Buckbean	Menyanthes trifoliata
160	L.	Triticum	Wheat	Triticum hybernum
161	L.	Tuſſilago	Coltsfoot	Tuſſilago Farfara
162	L.	Valeriana	Valerian wild	Valeriana officinalis
163	L.	Vitis	Vine	Vitis vinifera
164	L.	Veratrum, vid. Helleb. alb.	Mullein tall	Verbaſcum Thapſus
165	L.	Verbaſcum	Violet ſweet	Viola odorata

Medicinal Plants of the London and Edinburgh Dispensatories.

L.	165	Uvæ passæ majores	Raisins	Vitis vinifera
E.	166	Urtica	Nettle	Urtica dioica
E.	167	Uva Urſi	Bearberry	Arbutus Uva Urſi
L.	168	Zedoaria	Zedoary	Kæmpferia rotunda
L.	*	Zingiber	Ginger	Amomum Zingiber

O M I T T E D.

E.	*	Aurantium curassavense	Curassao Oranges	Citrus Aurantium
L.	E.	Gallæ	Galls	Quercus Cerris
E.	168	Refina alba	White Refin	} Pinus Abies
L.	169	Refina flava	Yellow Refin	
L.	*	Opobalsamum	Balsam of Gilead	Amyris Opobalsamum

MEDICINAL PLANTS

NOT CONTAINED IN THE

LONDON AND EDINBURGH

DISPENSATORIES.

1	Abies	Fir	Pinus Abies
2	Abrotanum fœmina	Lavender-cotton.	Santolina Chamæcyparissus
3	Abfinthium ponticum	Roman Wormwood	Artemisia pontica
4	Acanthus	Bear's breech	Acanthus inollis
5	Adianthum verum	True Maidenhair	Adianthum Capillus veneris
6	Agallochum	Aloes Wood	Agallochum
7	Ageratum	Maudlin	Achillea Ageratum
8	Agnus castus	Chaste tree	Vitex Agnus castus
	Agrimonia	Agrimony	Agrimonia Eupatoria

40 *Medicinal Plants not contained in the London and Edinburgh Dispensatories.*

9	Alcea	Vervain Mallow	Malva Alcea
10	Alchemilla	Lady's Mantle	Alchemilla vulgaris
11	Alkekengi	Winter-cherry	Physalis Alkekengi
12	Alliaria	Jack by the Hedge	Erythimum Alliaria
*	Aloes caballina	Horse Aloes	Aloe perfoliata
13	Alnus vulgaris	Common Alder	Betula Alnus
14	Alnus nigra	Berry bearing Alder	Rhamnus Frangula
*	Ammi verum	True Bishop's Weed	Sison Ammi
*	Amomum verum	True Amomum	
15	Anacardium orientale	Malacca Bean	Avicennia tomentosa
*	Anagallis	Pimpernel	Anagallis arvensis
16	Anime	Gum Anime	Hymenæa Courbaril
17	Anthora	Wholesome Wolf's Bane	Aconitum Anthora
18	Aparine	Goose Grass	Galium Aparine
19	Aquilegia	Columbine	Aquilegia vulgaris
20	Argentina	Silverweed	Potentilla Anserina
21	Aristolochia rotunda	Round Birthwort	Aristolochia rotunda
22	Arthanita	Sow Bread	Cyclamen europæum
23	Asperula	Woodroof	Asperula odorata
	Auricula Judæ	Jew's Ears	Peziza Auricula
	Auricula Muriæ	Moufe Ear	Hieracium Pilosella

Pages 41-56 missing

55	Horſe-radish	Cochlearia Armoracia
56	Jeruſalem Artichoke	Helianthus tuberoſus
57	Leeks	Allium Porrum
	Lemon	Citrus medica
58	Lentil	Ervum Lens
59	Lettuce	Lactuca ſativa
	Limes	Citrus Aurantium
	Mace	Myriſtica
60	Marigold	Calendula officinalis
61	Marjoram pot	Origanum Onites
62	———— ſweet	———— Majorana
63	Medlar	Mefpilus Germanica
64	Melon	Cucumis Melo
	Mercury Engliſh, <i>vid.</i>	Good King Henry
	Pepper black	Piper nigrum
	———— white	———— decorticat.
	———— Jamaica	Myrtus Pimenta
	———— Cayenne	Capſicum annuum
	Pine-apple	Bromelia Ananas
	Pine-kernels	Pinus Pinea
	Piſtachio Nut	Piſtacia vera
65	Plumbs	Prunus domeſtica
66	Pomegranate	Punica Granatum
67	Potatoe	Solanum tuberoſum
68	Prunes	Prunus domeſtica
69	Purſlane	Portulaca oleracea
70	Quince	Pyrus Cydonia
71	Radish common	Raphanus fativus
	———— turnip rooted	———— var. rad. rotund.
	———— Spaniſh	———— var. rad. nigric.
72	Rampion	Campanula Rapunculus
73	Raiſins	Vitis vinifera
74	Raspberry	Rubus idæus
	Rice	Oryza ſativa
75	Millet	Panicum miliaceum
76	Monk's Rhubarb	Rheum Rhaponticum
	Morel	Phallus eſculentus
77	Mulberry	Morus nigra
	Muſhroom	Agaricus campeſtris

78	Mustard	<i>Sinapis nigra</i>
79	Nasturtium	<i>Tropæolum majus</i>
80	Nectarine	<i>Amygdalus Persica</i> var. ..
	Nutmeg	<i>Myristica</i>
81	Oat	<i>Avena</i>
	Olives	<i>Olea Europæa</i>
82	Onion common	<i>Allium Cepa</i>
83	— Welch	— <i>fistulosum</i>
84	Orach garden	<i>Atriplex fativa</i>
	Orange	<i>Citrus Aurantium</i>
85	Parsley	<i>Petroselinum vulgare</i>
86	Parfnep	<i>Pastinaca fativa</i>
87	Pea	<i>Pisum sativum</i>
88	Pear	<i>Pyrus communis</i>
89	Peach	<i>Amygdalus Persica</i>
90	Rocambole	<i>Allium Scorodoprasum</i>
91	Rye	<i>Secale cereale</i>
92	Sage	<i>Salvia</i>
	Sago	<i>Palma farinaria</i> <i>Rumph.</i>
93	Salep	<i>Orchis Morio</i>
94	Salsafy	<i>Tragopogon porrifolium</i>
95	Savory Summer	<i>Satureja hortensis</i>
96	— Winter	— <i>montana</i>
97	Samphire	<i>Crithmum maritimum</i>
98	Scorzonera	<i>Scorzonera</i>
	Sea-weed sweet	<i>Fucus palmatus</i>
	— catable	— <i>esculentus</i>
99	Service	<i>Sorbus domestica</i>
100	Skirret	<i>Sium Sifarum</i>
101	Sloe	<i>Prunus sylvestris</i>
102	Spearmint	<i>Mentha viridis</i>
103	Spinach	<i>Spinachia oleracea</i>
104	Sorrel common	<i>Rumex Acetosa</i>
105	— French	— <i>scutatus</i>
106	Strawberry	<i>Fragaria sterilis</i>
	Sugar	<i>Saccharum officinarum</i>
107	Tansy	<i>Tanacetum vulgare</i>
108	Tarragon	<i>Artemisia Dracunculus</i>
	Tea Green	<i>Thea viridis</i>

	Tea Bohea	Thea Bohea
109	Thyme	Thymus vulgaris
	Truffles	Lycoperdon Tuber
110	Turnep	Brassica Rapa
111	Walnut	Juglans regia
112	Watercrefs	Sisymbrium Nasturtium
113	Wheat	Triticum hybernum
114	Whortleberry	Vaccinium Myrtillus

A
C A T A L O G U E
O F
P O I S O N O U S P L A N T S,
C U L T I V A T E D I N T H E
L O N D O N B O T A N I C G A R D E N.

“ In the day that thou eatest thereof thou shalt surely die.”
Genesis.

HOWEVER plausibly the medical Practitioner may excuse his ignorance of plants in general, the public has a right to expect, that he should lose no opportunity of making himself acquainted with these of the present class, since they are few in number, and capable of producing in a short time the most deleterious effects.

POISONOUS PLANTS.

1	Aconitum Napellus	Blue Monkshood
2	Actæa spicata	Bane-berries
3	Atropa Belladonna	Deadly Nightshade
4	Æthusa Cynapium	Fool's Parsley
5	Cicuta virofa *	Long leav'd Water Hemlock
6	Conium maculatum	Hemlock
7	Datura Stramonium	Thorn-apple
8	Hyoscyamus niger	Henbane
9	Mercurialis perennis	Dog's Mercury
10	Oenanthe crocata	Hemlock Dropwort
11	Prunus Lauro cerasus	Laurel
12	Solanum nigrum	Garden Nightshade
13	——— Dulcamara	Woody Nightshade

* Persons not conversant in practical Botany, are very apt to confound this plant with the *Phellandrium aquaticum*, called also *Water-Hemlock*, an instance of this occurs in MR. WILMER'S Pamphlet on poisonous Vegetables, published in 1781, when Captain *Donellan's* trial was so generally the subject of conversation.

A
C A T A L O G U E
O F
AGRICULTURAL PLANTS,
Or such as are both useful and noxious
T O T H E H U S B A N D M A N,
C U L T I V A T E D I N T H E
L O N D O N B O T A N I C G A R D E N.

Agricola incurvo terram dimovit aratro.
Hinc anni labor : hinc patriam, parvosque nepotes
Sustinet : hinc armenta bouum, meritosque juvencos :
Nec requies, quin aut pomis exuberet annus,
Aut fœtu pecorum, aut Cerealis mergite culmi :
Proventuque oneret fulcos, atque horrea vincat.

Virgil. Georg. Lib. 2.

THE UNIVERSITY OF

CHICAGO

LIBRARY

OF THE

UNIVERSITY OF CHICAGO
LIBRARY
508 EAST HALL
CHICAGO, ILL. 60607-7073
TEL: 773-936-5000
FAX: 773-936-5001
WWW.CHICAGO.LIBRARY.EDU

IT is presumed the present Catalogue is the first of the kind ever offered to the public; it will be no wonder, therefore, if it should fall short of perfection: most of the plants contained in it are of British growth; of the *useful* ones, many have long been known and cultivated in this country; several new ones are inserted, as deserving to be more generally known to the husbandman; of these the grasses, a much neglected tribe, form no inconsiderable part; at present, out of a hundred and three species, the produce of this country, considered by surrounding nations as most fertile in its herbage, only one is cultivated for pasturage, and that confessedly deficient in many of the requisites of a good grass: Mr. STILLINGFLEET, in his Miscellaneous Essays, has taken much pains to recommend several others as superior, and about as many more are here added from my own observations.

The Willows, and Poplars, though out of the herbaceous line, are included, being highly useful in rural œconomy, and but imperfectly known.

If

If the Agriculturist has been inattentive to the plants of the useful kind, the noxious plants have engaged still less of his attention, though highly deserving of it.

Future observations will doubtless make it necessary to add many other plants to those here enumerated, perhaps retrench some of the present list, and throw a much greater light on the whole.

A
C A T A L O G U E
O F T H E
P L A N T S
U S E F U L I N
A G R I C U L T U R E.

P A R T I.

Barley common	Hordeum vulgare
—— big	—— hexastichon
—— sprat	—— distichon
—— long-eared	—— Zeocriton
Black-feed	Medicago lupulina
Buck-wheat	Polygonum Fagopyrum
Burnet great	Sanguisorba officinalis
—— small	Poterium Sanguisorba
Caraway	Carum Carui
Clover Dutch	Trifolium repens
—— broad-leaved	—— pratense
—— alpine, or narrow-leaved	—— alpestre
—— strawberry	—— fragiferum
Claver	Medicago Arabica
Coriander	Coriandrum fativum
Corn Indian	Zea Mays
—— Spelt	Vid. Wheat Spelt
Dyer's-weed	Vid. Weld
Flax	Linum usitatissimum
French-honeyfuckle	Hedysarum coronarium
Grass Timothy	Phleum pratense

Grafs sweet-scented Vernal	<i>Anthoxanthum odoratum</i>
— meadow Foxtail	<i>Alopecurus pratensis</i>
— fine Bent	<i>Agrostis capillaris</i>
— smooth-stalked Meadow	<i>Poa pratensis</i>
— rough-stalked Meadow	— <i>trivialis</i>
— dwarf Meadow, or	
— Suffolk grafs	— <i>annua</i>
— soft Brome	<i>Bromus mollis</i>
— meadow Oat	<i>Avena pratensis</i>
— rough Oat	— <i>pubescens</i>
— yellow Oat	— <i>flavescens</i>
— sheep's Fescue	<i>Festuca ovina</i>
— hard Fescue	— <i>duriuscula</i>
— meadow Fescue	— <i>pratensis</i>
— spiked Fescue	— <i>pinnata</i>
— meadow Barley	<i>Hordeum pratense</i>
— crested Dog's tail	<i>Cynosurus cristatus</i>
— Rye, or Ray	<i>Lolium perenne</i>
— Canary	<i>Phalaris canariensis</i>
Hemp	<i>Cannalis sativa</i>
Horse bean	<i>Vicia Faba</i>
Indian Corn	<i>Zea Mays.</i>
Lucern	<i>Medicago sativa</i>
Madder	<i>Rubia tinctoria</i>
Maw seed	<i>Papaver somniferum</i>
Mustard black	<i>Sinapis nigra</i>
— white	— <i>alba</i>
Nonefuch	<i>Medicago Lupulina</i>
Oat common	— <i>sativa</i>
— tartarian	— <i>var. flosculis secundis</i>
— naked	— <i>nuda</i>
Poplar black	<i>Populus nigra</i>
— Lombardy	— <i>var. ramis erectis</i>
— trembling	— <i>tremula</i>
— white	— <i>alba</i>
— Arbecal	— <i>Arbecal</i>
Rib-grafs	<i>Plantago lanceolata</i>
Rape	<i>Brassica Napus</i>
Rye	<i>Secale cereale</i>

Saffron	<i>Crocus officinalis</i>
Saint-foin	<i>Hedysarum Onobrychis</i>
Tare	<i>Vicia faba</i>
Teasel	<i>Dipsacus fullonum</i>
Trefoil hop	<i>Trifolium agrarium</i>
—— procumbent	—— procumbens
—— bird's foot	<i>Lotus corniculatus</i>
Turnep	<i>Brassica Rapa</i>
Vetch common	<i>Vicia faba</i>
Vetchling Meadow	<i>Lathyrus pratensis</i>
Weld	<i>Reseda luteola</i>
Wheat common	<i>Triticum hybernum</i>
—— Poland	—— polonicum
—— coned	—— quadratum
—— Spelt	—— Spelta
Willow white	<i>Salix alba</i>
—— crack	—— fragilis
—— almond	—— amygdalina
—— yellow-barked	—— vitellina
—— spurge-leaved	—— helix
—— sweet	—— pentandra
—— Osier	—— viminalis
—— Sallow	—— caprea
Woad	<i>Isatis tinctoria</i>

A
C. A T A L O G U E
O F T H E
P L A N T S
N O X I O U S I N
A G R I C U L T U R E.

P A R T II.

Bindweed small
 ——— great
 Butterbur
 Blue-bottle
 Burdock
 Blite white
 Brakes
 Bistort
 Bugloss small
 Cockle
 Clown's Woundwort
 Cammock
 Charlock
 Colt's foot
 Corn-marigold
 Crowfoot creeping
 ——— round rooted
 ——— tall
 ——— corn
 Camomile corn
 ——— weak-scented

Convolvulus arvensis
 ——— sepium
 Tussilago Petasites
 Centaurea Cyanus
 Arctium Lappa
 Chenopodium album
 Pteris aquilina
 Polygonum Bistorta
 Lycopsis arvensis
 Agrostema Githago
 Stachys palustris
 Ononis arvensis
 Sinapis arvensis
 Tussilago Farfara
 Chrysanthemum segetum
 Ranunculus repens
 ——— bulbosus
 ——— acris
 ——— arvensis
 Matricaria Chamomilla
 ——— inodora

Dock curled
 — broad-leaved
 Fleabane common
 Gout, or Ash-weed
 Garlic crow
 — bears
 Grass garden Couch
 — couchy Bent
 — couchy Oat
 — bearded Oat
 — Lob
 — field Foxtail
 — Darnel
 — rough Cock's foot
 — turfy Hair
 — meadow Soft
 — creeping Soft
 — Carnation
 Horsetail corn
 Hard-head's. *Vid.*
 Knap-weed common
 — great
 Mugwort
 Melilot
 Meadow-sweet
 Mustard white
 May-weed stinking
 Orach wild
 — spreading
 Oxeye Daisy
 Persicaria willow-leaved
 — spotted-leaved
 — pale-flowered
 Poppy long smooth-headed
 — round smooth-headed
 Radish wild
 Ramsons. *Vid.*
 Ragwort common
 — marsh

Rumex crispus
 — obtusifolia
 Inula dysenterica
 Ægopodium Podagraria
 Allium vineale
 — urfinum
 Triticum repens
 Agrostis stolonifera
 Avena elatior
 — fatua
 Bromus secalinus
 Alopecurus agrestis
 Lolium temulentum
 Dactylis glomeratus
 Aira cespitosa
 Holcus lanatus
 — mollis
 Carex cespitosa
 Equisetum arvense
 Knap-weed common
 Centaurea nigra
 — Scabiosa
 Artemisia vulgaris
 Trifolium Melilotus
 Spiræa Ulmaria
 Sinapis alba
 Anthemis Cotula
 Atriplex hastata
 — patula
 Chrysanthemum Leucanthemum
 Polygonum amphibium
 — Persicaria
 — Pensylvanicum
 Papaver dubium
 — Rhæas
 Raphanus Raphanistrum
 Bear's Garlick
 Senecio Jacobea
 — aquaticus

Restharrow.	<i>Vid.</i>	Cammock
Rush common		Juncus conglomeratus
— blueish		— glaucus
— flat-jointed		— compressus
— round-jointed		— articularis
— bulbous		— bulbosus
Succory blue		Cichorium Intybus
Sow-thistle corn		Sonchus arvensis
Spearwort small		Ranunculus Flammula
Scabious common		Scabiosa arvensis
Spatling-poppy		Cucubalus Behen
Stinging-Nettle large		Urtica dioica
Silver-weed		Potentilla Anserina
Sneese-wort		Achillea Ptarmica
Thistle-milk		Carduus marianus
— marsh		— palustris
— melancholy		— helenioides
— spear		— lanceolatus
— curfed		— arvensis
— star		Centaurea Calcitrapa
Tine-Tare smooth-podded		Ervum tetraspermum
— rough-podded		— hirsutum
Water horehound		Lycopus europæus
White back.	<i>Vid.</i>	Melancholy Thistle
Yarrow		Achillea Millefolium
Yew		Taxus baccata

A
C A T A L O G U E
O F
B R I T I S H P L A N T S,
C U L T I V A T E D I N T H E
L O N D O N B O T A N I C G A R D E N.

Arranged according to their
P E R I O D S O F F L O W E R I N G.

The fall of kings,
The rage of nations, and the crush of states,
Move not the man, who from the world escap'd,
In still retreats, and flowery solitudes,
To Nature's voice attends, from month to month,
And day to day, thro' the revolving year;
Admiring sees her in her every shape,
Feels all her sweet emotions at his heart,
Takes what she lib'ral gives, nor thinks of more.

Thomson.

TO the distinguished abilities, unwearied assiduity, and communicative disposition of MR. RAY, assisted by many of his cotemporaries, we are indebted for the first *British Flora*, which could in any wise be considered as compleat; such was his *Synopsis Stirpium Britannicarum*, the third Edition of which still remains to be most deservedly valued; in this work we have an enumeration, and frequently a description, not only of the more perfect plants, but also of the *Musci*, *Fuci*, *Fungi*, &c. all arranged according to a system of his own. — To this system of our great predecessor, succeeded that of the celebrated LINNÆUS, the ornament of Sweden; the excellence of which was such as to create general admiration, and insure it an almost universal reception: hence it became necessary (if I may be allowed the expression) to *Linneanize* MR. RAY; this arduous task was attempted by MR. HUDSON, and MR. RAY's *Synopsis*, to speak metaphorically, transmigrated into MR. HUDSON's *Flora Anglica*; in which form, though it retained the advantages of a new body, it lost a portion of its

its original spirit, much useful information being suppressed, and many distinct species made into varieties; it was, however, enriched with many new plants, discovered by MR. HUDSON and his friends.

In the year 1777, MR. LIGHTFOOT having accompanied MR. PENNANT into Scotland, for the purpose of making discoveries in natural history, favoured the public, on his return, with an ample account of the plants discovered in his northern tour, under the title of *Flora Scotica*; the value of which was greatly enhanced by the new lights thrown on the cryptogamous plants in general, and the excellent plates of several rare plants which accompanied it.

In the succeeding year appeared the second edition of MR. HUDSON's book, in which the plants of the *Flora Scotica*, with many additional ones previously discovered, were inserted.

The works of these three different Authors, the only practical ones of any note that have been published in this country, form the basis of the present Catalogue; where *I have not* had an opportunity
of

of observing or cultivating the plants which they enumerate, I have relied implicitly on their accuracy; where *I have*, as an enquirer after truth, I presume I should have been censurable not to have used the lights, which perhaps a more minute enquiry, or better opportunities of cultivation had afforded me; hence I have in several instances differed, both from MR. RAY and MR. HUDSON, and am sorry to have occasion to differ so materially from the latter, in the account he has given of the grasses, in the second edition of his work; the reasons at large for such differences will be given in the *Flora Londinensis*, (vid. *Ranunculus hirsutus*, *Polygonum minus*, *Sedum sexangulare*, &c.) the only notice taken of them here will be to print in Italics those plants which I apprehend to be species, and which MR. HUDSON considers as varieties. As the Garden contains more than two-thirds of the *more perfect* British plants, it was apprehended that the addition of the remainder, which either cannot be made to grow, or have not yet been obtained, would render this publication more useful, not only to those who may have opportunities of visiting it, but to those also who have only the garden which nature affords them; they are incorporated with the rest, and distinguished by having no figures


gures prefixed to them; such as have an asterisk are considered as doubtful natives.

As we have no compleat *Calendar* of a *British Flora*, it was thought that the utility of this little volume would be still farther enhanced, by arranging the plants according to the months in which they usually flower in the garden; by this means, not only subscribers know what plants they have a right to expect in blossom at particular seasons, but the botanist at a distance may judge what plants he is likely to find in his herborizing excursions: allowances will naturally be made for variations of flowering, dependent on extraordinary seasons.

There is a circumstance relative to the blowing of certain plants, which deserves some attention here, I mean such as the *Groundsel*, *Shepherd's purse*, *Daisy*, *dwarf Meadow grass*, &c. I would observe, that though these may, if the winter prove mild, be found in blossom throughout the year, yet there is a certain month in which they flower more plentifully, and with more certainty than in any other; thus the *Shepherd's purse* has the greatest profusion of bloom in *April*, the *Daisy* in *May*, the *Poa annua* in *June*, and so on—Such we apprehend to be the proper period of such plants flowering, and have set them down accordingly.

EXPLANATION





A Tree & Shrub Quarter. B. Agricultural Qu. C. Clafs & Order Qu. D Greenhouse. E. Library. F Culinary Qu. G Medicinal Qu. H Poisonous Qu. I Wood Qu. K Grass Qu. L Wall. M Water & Bog Qu. N General Qu. O Ornamental Qu.

EXPLANATION OF CHARACTERS, &c.

h Tree or Shrub.

u Perennial.

♂ Biennial.

⊙ Annual.

L. Growing in the environs of London.

The following Abbreviations shew in what part of the Garden each Plant is to be found. Vid. Plan of the Garden.

Tr. Tree and Shrub Quarter.

G. General Quarter, containing the greatest assortment of British plants.

Gr. Grass Quarter.

B. Bog and Water Quarter.

W. Wall constructed with cavities, on a particular plan.

Wd. Wood Quarter, for plants growing in woods.

A C A T A L O G U E

O F

B R I T I S H P L A N T S,

Arranged according to their
P E R I O D S O F F L O W E R I N G.

J A N U A R Y.

Now Cæcias sends

His cutting winds, his storms of hail, and snow,
Or binds the pregnant earth in icy chains;
The frost-nipt Laurel, and the blasted Bay,
Which lately shone in all the pride of health,
Stand wither'd monuments of his dire reign.

F E B R U A R Y.

As yet the trembling year is unconfirm'd,
And winter oft, at eve resumes the breeze,
Chills the pale morn, and bids his driving fleets
Deform the day delightful.

Thomson.

h 1	Corylus Avellana	L. Hazel	Tr.
u 2	Galanthus nivalis	Snowdrop	W.
u 3	Helleborus viridis	Hellebore green	G.
u 4	Tussilago hybrida	Butterbur long-stalked	G.

M A R C H.

Now softer gales succeed, at whose kind touch,
Dissolving snows in livid torrents lost,
The mountains lift their green heads to the sky.

Thomson.

h 5	Daphne Laureola	L. Spurge Laurel	Tr.
h 6	——— Mezereon	Mezereon	Tr.
4 7	Helleborus foetidus	Bear's foot	G.
4 8	Juncus pilosus	L. Rush small hairy	Wood B.
4 9	Mercurialis perennis	L. Mercury Dog's	G.
4 10	Ruscus aculeatus	L. Butcher's Broom	Wd.
h 11	Taxus baccata	Yew	Tr.
4 12	Viola odorata	L. Violet sweet	Wd.

A P R I L.

Call the vales, and bid them hither cast
Their bells, and flowrets of a thousand hues.
Ye valleys low, where the mild whispers use
Of shades, and wanton winds, and gushing brooks;
On whose fresh lap the swart star sparely looks,
Throw hither all your quaint enamell'd eyes,
That on the green turf suck the honied showers,
And purple all the ground with vernal flowers.

Milton.

⊙ 13	Arabis thaliana	L. Podded-Mouse-ear small	W
4 14	Anemone nemorosa	L. Anemone white	wood Wd.
4 15	——— apennina	——— blue	Wd.
♂ 16	Brassica Rapa	L. Turnep	G.
♂ 17	——— Napus	L. Navew wild	G.

♂ 18 Cochlearia officinalis	Scurvy-grass common	W.
18 var. groenlandica	— dwarf	W.
♂ 19 — danica	— Danish	W.
♂ 20 — anglica	L. — sea	W.
⊙ 21 Cardamine hirsuta	L. Ladies-smock hairy	W.
⊙ 22 Draba verna	L. Whitlow-grass common	W.
2 23 Equisetum sylvaticum	L. Horse-tail wood	W.
2 24 — arvense	L. — corn	G.
h 25 Fraxinus excelsior	L. Ash	Tr.
2 26 Fragaria sterilis	L. Strawberry-barren	G.
2 27 Juncus campestris	L. Rush-hairy field	B.
2 28 Narcissus Pseudo- Narcissus }	Daffodil common	W.
2 Ornithogalum luteum	Star of Bethle'm yellow	W.
h 29 Populus alba	Poplar white	Tr.
h 30 — tremula	L. — trembling	Tr.
h 31 — nigra	L. — black	Tr.
h 32 — Arbut	L. — Arbut	Tr.
h 33 Prunus communis	L. Bullace Tree	Tr.
h 34 — spinosa	L. Black thorn	Tr.
h 35 — Cerasus	L. Cherry wild	Tr.
var. fructu nigro	— black	
2 36 Primula vulgaris	L. Primrose	Wd.
2 37 Ranunculus Ficaria	L. Pilewort	G.
2 38 — auricomus	L. Crowfoot wood	G.
h *Salix hermaphrodita	Willow shining	
h 39 — helix	L. — spurge-leaved	Tr.
40 — triandra	— smooth	Tr.
h 41 — Caprea	L. — Sallow common	Tr.
h 42 — elongata	L. — long-leaved	Tr.
2 43 Scilla verna	Squill vernal	W.
2 44 Saxifraga oppositi- folia	Saxifrage purple flowered	W.
2 45 Tussilago Farfara	L. Colt's foot	G.
2 46 — Petasites	L. Butterbur common	G.
2 47 Viola hirta	L. Violet hairy	Wd.
2 Vaccinium uliginosum	Bilberry marsh	
h 48 Ulmus campestris	L. Elm common	Tr.
var. folio latissimo	broad rough-leaved, or	
scabro	Wych Elm.	
var. folio glabro	smooth-leaved	

Oft brush'd from Russia's wilds, a cutting gale
 Rises, and scatters from his humid wings
 The clammy mildew, or dry-blowing, breathes
 Untimely frost, before whose baleful blast
 The full-blown Spring, thro' all her foliage shrinks
 Joyless and dead.

Thomson.

M A Y.

Now the bright morning-star, day's harbinger,
 Comes dancing from the East, and leads with her
 The flowery May, who from her green lap throws
 The yellow cowslip, and the pale primrose ;
 Hail bounteous May, that dost inspire
 Mirth, and youth, and warm desire ;
 Woods, and groves are of thy dressing,
 Hill, and dale doth boast thy blessing :
 Thus we salute thee with our early song,
 And welcome thee and wish thee long.

Milton.

24 49	<i>Anthoxanthum odoratum</i>	L. Vernal grass sweet-scented	Gr.
24 50	<i>Alopecurus pratensis</i>	L. Foxtail grass Meadow	Gr.
24 51	<i>Asperula odorata</i>	L. Woodruff	Wd.
⊙ 52	<i>Asperugoprocumbens</i>	Madwort Goose grass	G.
⊙ 53	<i>Alfina media</i>	L. Chickweed common	G.
24 54	<i>Allium urfinum</i>	Ramsons	W.
24 55	<i>Adoxa Moschatellina</i>	L. Moschatel tuberous	W.
24 56	<i>Andromeda polifolia</i>	L. Andromeda Rosemary-leaved	B.
24 57	<i>Afarum europæum</i>	Afarabacca	Wd.
24 58	<i>Actæa spicata</i>	Bane berry	Wd.

24 59	<i>Anemone Pulsatilla</i>	Pasque-flower	W.
24 60	— <i>ranunculoides</i>	Anemony yellow	Wd.
⊙ 61	<i>Arabis stricta</i>	Podded-mouse-ear rough	W
24 62	<i>Arum maculatum</i>	L. Cuckow-pint	Wd.
2 63	<i>Acer Pseudoplatanus</i>	L. Maple Sycamore	Tr.
2 64	— <i>campestre</i>	L. — common	Tr.
24	<i>Anthericum serotinum</i>	<i>Anthericum bulbous</i>	W.
2	<i>Arbutus alpina</i>	Strawberry-tree alpine	Tr.
⊙ 65	<i>Bromus mollis</i>	L. Brome-grass soft	Gr.
⊙ *	— <i>muralis</i>	— wall	Gr.
2 66	<i>Berberis vulgaris</i>	L. Barberry	Tr.
24 67	<i>Bellis perennis</i>	L. Daisy	G.
2 68	<i>Buxus sempervirens</i>	Box-tree	Tr.
♂ 69	<i>Brassica oleracea</i>	Cabbage sea	G.
♂	— <i>monensis</i>	— Anglesea	G.
24 70	<i>Chærophyllum</i>	} L. Cow-parsly common	G.
	<i>lyvestre</i>		
♂ 71	<i>Carum Carui</i>	Caraway	G.
24 72	<i>Convallaria majalis</i>	L. Lilly of the Valley	Wd.
24 73	— <i>Polygonatum</i>	Solomon's-seal sweet	Wd.
24 74	— <i>multiflora</i>	— common	Wd.
24 75	<i>Chrysosplenium op-</i>	} Golden-saxifrage	B.
	<i>positifolium</i>		
24 76	— <i>alternifolium</i>	L. — alternate-leaved	B.
⊙ 77	<i>Cerastium viscosum</i>	L. { Mouse-ear-Chick-	W.
		weed hoary	
⊙ 78	— <i>femidecandrum</i>	L. — small	W.
2 79	<i>Cratægus Aria</i>	Beam-tree white	Tr.
2 80	— <i>torminalis</i>	L. Service-tree wild	Tr.
2 81	— <i>Oxyacantha</i>	L. Hawthorn	Tr.
24 82	<i>Caltha palustris</i>	L. Marsh-marigold	B.
24 83	<i>Cochlearia Armoracia</i>	L. Horse-radish	G.
24 84	<i>Cheiranthus Cheiri</i>	Wall-flower common	G.
24 85	<i>Cardamine pratensis</i>	L. Ladies smock common	W.
24 86	— <i>amara</i>	L. — bitter	W.
⊙ 87	— <i>impatiens</i>	— impatient	W.
24	— <i>petræa</i>	— mountain	W.
24 *	— <i>bellidifolia</i>	— daisy-leaved	W.
24	<i>Carex saxatilis</i>	<i>Carex vernal</i>	B.

24	88	Carex panicea	L. Carex pink	B.
24	89	— acuta	L. — acute	B.
24	90	— digitata	— fingered	B.
24	91	— montana	L. — mountain	B.
h	92	Carpinus Betulus	L. Horn-beam Tree	Tr.
24	93	Callitriche aquatica	L. Starwort Water	B.
24	94	Dentaria bulbifera	{ Coral-wort bulbiferous	Wd. Q.
⊙	95	Draba muralis	{ Whitlow-grafs Speed-well-leaved	W.
24	96	Empetrum nigrum	Crow-berry	B.
24	97	Eriophorum vaginatum	L. Cotton-grafs single-headed	B.
h	98	Euonymuseuropæus	L. Spindle Tree	Tr.
24	99	Euphorbia amygdaloides	L. Spurge wood	Wd.
3	100	Erysimum Alliaria	L. Saucealone	G.
24	101	— Barbarca	L. Winter-crefs	G.
24	102	Fragaria vesca	L. Strawberry wood	G.
24	103	Fritillaria Meleagris	L. Fritillary common	W.
h	104	Fagus sylvatica	L. Beech	Tr.
h	105*	— Castanea	L. Chesnut	Tr.
24	106	Geum rivale	Avens Water	G.
24	107	Glechoma hederacea	L. Ground ivy	G.
⊙	108	Geranium cicutarium	L. Crane's-bill hemlock-leaved	G.
⊙		— pimpinellifolium	— spotted flower-ed	G.
⊙	109	— moschatum	— musk	G.
24	110	— phæum	— dark flowered	
⊙	111	— molle	L. — common dove's foot	G.
⊙	112	— Robertianum	L. Herb Robert	G.
24	113	Hyacinthus non-scriptus	L. Hare-bell	W.
⊙		Holosteia umbellata	Clove-chickweed	W.
h	114	Hippophae rhamnoides	Sea Buckthorn	Tr.
24	115	Juncus sylvaticus	L. { Rush - great hairy Wood	B.

88 BRITISH PLANTS.

⊙ 116	<i>Iberis nudicaulis</i>	L. Rock-Cress	W.
h 117	<i>Ilex Aquifolium</i>	L. Holly	Tr.
118	<i>Lamium album</i>	L. Dead-Nettle white	G.
⊙ 119	— <i>amplexicaule</i>	L. ——— Henbit	G.
⊙ 120	— <i>purpureum</i>	L. ——— purple	G.
24 121	<i>Leontodon Tarax-</i> <i>acum</i>	L. Dandelion common	G.
⊙ 122	<i>Lepidium petraeum</i>	Dittander rock	W.
24	<i>Lychnis Viscaria</i>	Lychnis Catchfly	G.
	<i>Lathraea Squamaria</i>	Tooth-wort	Wd.
24 123	<i>Menyanthes tri-</i> <i>foliata</i>	L. Buckbean	B.
h 124*	<i>Mespilus germa-</i> <i>nica</i>	Medlar	Tr.
h 125	<i>Myrica Gale</i>	Gale sweet	Tr.
24 126*	<i>Narcissus poeticus</i>	Daffodil pale	W.
24 127*	<i>Ornithogalum um-</i> <i>bellatum</i>	Star of Bethl'em com-	W.
24 128	<i>Oxalis Acetosella</i>	L. Wood-forrel	W.
24 129	<i>Orobus tuberosus</i>	L. Wood-pea	Wd.
24 130	<i>Orchis mascula</i>	L. Orchis early-spotted	W.
24 131	— <i>purpurea</i>	— <i>purple man</i>	W.
24	— <i>militaris</i>	— <i>man</i>	W.
24 132	<i>Ophrys aranifera</i>	— Spider	W.
24 133	<i>Ophioglossum</i> <i>vulgatum</i>	L. Adder's tongue	W.
24 134	<i>Plantago lanceolata</i>	L. Plantain Ribwort	G.
24 135	<i>Pulmonaria offic-</i> <i>nalis</i>	Lungwort-spotted	G.
h 136	<i>Prunus Padus</i>	L. Bird-Cherry	Tr.
h 137	<i>Pyrus communis</i>	L. Pear wild	Tr.
h 138	— <i>Malus</i>	L. Crab	Tr.
h 149	<i>Potentilla verna</i>	Cinquefoil vernal	G.
h 140	<i>Pinus sylvestris</i>	Fir Scotch	Tr.
h 141*	— <i>Picea</i>	— yew-leaved	Tr.
h 142*	— <i>Abies</i>	— common	Tr.
h 143	<i>Quercus Robur</i>	L. Oak	Tr.
h 144	<i>Rhamnus cathar-</i> <i>ticus</i>	L. Buckthorn	Tr.

h 145	Rhamnus Frangula	L. Berry-bearing Alder	Tr.
h 146	Ribes rubrum	Currant red	Tr.
h 147	— nigrum	— black	Tr.
h 148	— alpinum	— alpine	Tr.
4 149	Ranunculus bulbosus	L. Crowfoot bulbous	G.
4 150	Rhodiola Rosea	Rose root	G.
⊙ 151	Sherardia arvensis	L. Sherardia field	W.
⊙ 152	Sagina crecta	L. Pearl-wort upright	W.
4 153	Scandix odorata	Cicely sweet	G.
♂ 154	Smyrniolum Olusatrum	L. Alexanders	G.
h 155*	Staphylea pinnata	Bladder-nut Tree	Tr.
⊙ 156	Saxifraga tridactylites	L. Saxifrage rue-leaved	W.
4 157	— granulata	L. — white	W.
4 158	Stellaria Holostea	L. Stichwort large	G.
4 159	— nemorum	— wood	G.
h 160	Sorbus aucuparia	L. Mountain-Ash	Tr.
h	— domestica	Service true	Tr.
h 161	Schrophularia verna	L. Figwort vernal	G.
4 162	Sisymbrium Nasturtium	L. Water-Cress	B.
⊙ 163	Senecio vulgaris	L. Groundfel	G.
h 164	Salix pentandra	L. Willow sweet	Tr.
h	— herbacea	— herbaceous	Tr.
h 165	— vitellina	L. — yellow-barked	Tr.
h 166	— amygdalina	L. — almond	Tr.
h	— reticulata	— round-leaved	Tr.
h 167	— fragilis	L. — crack	Tr.
h	— rubra	— red	Tr.
h 168	— viminalis	L. — Oſier	Tr.
h 169	— repens	L. — creeping	Tr.
h	— arenaria	— sand	Tr.
h	— rosmarinifolia	— roſemary-leaved	Tr.
h 170	— alba	L. — white	Tr.
h	— lanata	— woolly	Tr.
h	— aurita	— round-eared	Tr.

⊙ 171	<i>Thlaspi Bursa pastoris</i>	} L. Shepherd's Purse	G.
⊙	<i>Tillæa muscosa</i>	Tillæa mossy	W.
h 172	<i>Ulex europæus</i>	L. Furze, Whins, Gorfe,	Tr.
⊙ 173	<i>Veronica arvensis</i>	L. Speedwell field	W.
⊙ 174	———— <i>hederifolia</i>	L. ——— ivy-leaved	G.
4 175	<i>Valeriana dioica</i>	L. Valerian Marsh	G.
⊙ 176	———— <i>locusta</i>	L. Corn-sallad	G.
4 177	<i>Vinca minor</i>	L. Periwinkle small	G.
h 178	<i>Viburnum Lantana</i>	L. Wayfaring Tree	Tr.
h 179	———— <i>Opulus</i>	L. Guelder Rose	Tr.
4 180	<i>Valantia Cruciata</i>	Croswort	G.
4 181	<i>Vaccinium Myrtillus</i>	} L. Whortleberry common	B.
4 182	———— <i>Vitis idæa</i>	Bilberry red	B.
4 183	———— <i>Oxycoccus</i>	Cranberry	B.
4 184	<i>Viola canina</i>	L. Violet dogs	Wd.
4 185	———— <i>palustris</i>	L. ——— bog	B.
⊙	<i>Veronica triphyllos</i>	Speedwell trind	W.
⊙	———— <i>verna</i>	———— vernal	W.
4	<i>Viscum album</i>	Mistletoe	Wd.

J U N E.

No gradual bloom is wanting, from the bud,
 First born of spring, to summer's musky tribes,
 Nor Hyacinths of purest virgin white,
 Low-bent and blushing inward, nor Jonquils
 Of potent fragrance, nor Narcissus fair,
 As o'er the fabled fountain hanging still,
 Nor broad Carnations, nor gay spotted Pinks;
 Nor showr'd from every bush, the damask Rose,
 Infinite numbers, delicacies, smells,
 With hues on hues, expression cannot paint
 The breath of Nature, and her endless bloom.

Thomson.

⊙ 186	<i>Æthusa Cynapium</i>	L. Fool's Parsly	G.
24 187	—— <i>Meum</i>	Spignel	G.
24 188	<i>Ægopodium Po-</i>	L. Gout-weed	G.
	<i>dagraria</i>		
24	<i>Asperula Cynanchica</i>	Squinancy-wort	W.
24 189	<i>Alchemilla vulgaris</i>	Ladies-mantle common	G.
⊙ 190	<i>Aphanes arvensis</i>	L. Parsly piert	W.
⊙ 191	<i>Anchusa semper-</i>	Alkanet ever-green	G.
	<i>virens</i>		
24 192	<i>Antirrhinum Cym-</i>	L. Toad-flax ivy-leav-	W.
	<i>balaria</i>	ed	
⊙ 193	—— <i>Elatine</i>	L. { Fluellin sharp-point-	W.
		ed	
24 194	—— <i>majus</i>	L. Snapdragon large	W.
♂ 195	<i>Arabis turrita</i>	{ Podded moule-car	W.
		tower	
⊙ 196	<i>Arenaria-trinervia</i>	L. { Chickweed plantain-	W.
		leaved	
⊙ 197	—— <i>ferpyllifolia</i>	L. ——— thyme-leaved	W.
24 198	—— <i>verna</i>	—— mountain	W.
⊙ 199	—— <i>tenuifolia</i>	—— fine-leaved	W.
⊙ 200	—— <i>rubra</i>	L. ——— red-flowered	W.
⊙ 201	—— <i>marina</i>	—— sea	W.
⊙ 202	<i>Agrostema Githago</i>	L. Cockle	G.
24 203	<i>Asparagus officinalis</i>	Asparagus	G.
24 204	<i>Acorus Calamus</i>	L. Sweet-Cane	B.
24 205	<i>Aquilegia vulgaris</i>	L. Columbine's common	G.
♂ 206	<i>Adonis autumnalis</i>	Pheasant's eye	G.
24 207	<i>Ajuga reptans</i>	L. Bugle	G.
24 208	<i>Astragalus arenarius</i>	Milk-vetch purple	W.
24 209	<i>Avena pratensis</i>	Oat-grafs meadow	Gr.
24 210	—— <i>pubescens</i>	L. ——— rough	Gr.
24 211	—— <i>flavescens</i>	L. ——— yellow	Gr.
24 212	—— <i>elator</i>	L. ——— tall	Gr.
⊙ 213	<i>Ægilops incurva</i>	Hard-grafs sea	Gr.
⊙ 214	<i>Alopecurus agrestis</i>	L. Foxtail-grafs field	Gr.
24 215	<i>Aira aquatica</i>	L. Hair-grafs water	Gr.
⊙ 216	—— <i>præcox</i>	L. ——— early	Gr.
⊙ 217	—— <i>caryophyllea</i>	L. ——— silver	G.

24 218	<i>Allium arenarium</i>	Garlic sand	W.
24 219	— <i>Schœnoprasum</i>	Cives	W.
72	<i>Arbutus Uva Ursi</i>	Bear-berry	Tr.
24	* <i>Aquilegia alpina</i>	Columbine mountain	G.
24	<i>Ajuga pyramidalis</i>	Bugle mountain	G.
24	<i>Azalea procumbens</i>	Azalea procumbent	G.
24 220	<i>Arundo arenaria</i>	Reed-grass sea	Gr.
⊙	* <i>Bufonia tenuifolia</i>	Bufonia fine-leaved	W.
24 221	<i>Bromus erectus</i>	Brome grass upright	Gr.
⊙ 222	— <i>sterilis</i>	L. ——— barren	Gr.
⊙	<i>Bunias Cakile</i>	Rocket sea	G.
♂ 223	<i>Borago officinalis</i>	L. Borage	G.
24 224	<i>Bunium Bulbo-</i> <i>castanum</i>	} L. Earth or Pig-nut	Wd.
72 225	<i>Betula alba</i>		
72	— <i>nana</i>	L. Birch common	Tr.
72 226	— <i>Alnus</i>	— dwarf	Tr.
72 227	<i>Bryonia alba</i>	L. — Alder	Tr.
24 228	<i>Carex depauperata</i>	L. Bryony white	G.
24 229	— <i>distans</i>	L. <i>Carex Charlton</i>	B.
24 230	— <i>spicata</i>	L. — loose	B.
24 231	— <i>inflata</i>	L. — spiked	B.
24 232	— <i>cæspitosa</i>	— bottle	B.
24 233	— <i>vesicaria</i>	L. — turfy	B.
24 234	— <i>hirta</i>	L. — bladder	B.
24 235	— <i>pulicaris</i>	L. — hairy	B.
24 236	— <i>paniculata</i>	L. — flea	B.
24 237	— <i>disticha</i>	L. — panicked	B.
24 238	— <i>arenaria</i>	L. — soft	B.
24 239	— <i>leporina</i>	— sea	B.
24 240	— <i>vulpina</i>	L. — naked	B.
24	— <i>divisa</i>	L. — great	B.
24 241	— <i>canescens</i>	— marsh	B.
24 242	— <i>muricata</i>	— grey	B.
24 243	— <i>remota</i>	L. — prickly	B.
24 244	— <i>flava</i>	L. — remote	B.
24 245	— <i>pitulifera</i>	L. — yellow	B.
24 246	— <i>pallens</i>	L. — globular	B.
24 247	— <i>pendula</i>	L. — pale	B.
		L. — pendulous	B.

24 248	Carex sylvatica	L.	Carex wood	B.
24	— dioica		— finall	B.
24	— capitata		— round-headed	B.
24 249	— montana	L.	— mountain	B.
24	— atrata		— black	B.
24	— pauciflora		— few-flowered	B.
24	— brizoides		— rough	B.
24	— limosa		— brown	B.
24	— strigosa		— loose	B.
24	— recurva		— heath	B.
24 250	— riparia	L.	— common	B.
24 251	— gracilis	L.	— slender spiked	B.
24 252	— juncea		— rush	B.
24 253	— capillaris		— capillary	B.
h 254	Cornus sanguinea	L.	Dogweed common	Tr.
h	— herbacea		— herbaceous	Tr.
⊙	Caucalis daucoides		Caucalis rough	G.
⊙ 255	— anthriscus	L.	— hedge	G.
⊙ 256	— arvensis	L.	— field	G.
⊙ 257	— nodosa	L.	— knotted	G.
24	Cucubalus acaulis		Campion moss	W.
24 258	Cotyledon Umbilicus		Navel-wort common	W.
24	* — lutea		— yellow	W.
24	Cerastium alpinum		{ Mouse-ear-chickweed	
24	* — latifolium		{ alpine	W.
24 259	— vulgatum	L.	— broad-leaved	W.
24 260	— arvense	L.	— common	W.
⊙	Cistus guttatus		— creeping	W.
24 261	— hirsutus		Cistus annual	W.
24	— salicifolius		— hairy	W.
♂	Cheiranthus sinuatus		— willow-leaved	W.
♂ 262	— - crysimoides		Stock sea	G.
♂	Cineraria palustris		— yellow	G.
24 263	— alpina		Cineraria marsh	B.
24 264	Cynofurus caeruleus		— mountain	W.
24 265	Campanula glomerata		Dog's tail-grass blue	Gr.
			Bell-flower clustered	G.

⊙ 266	<i>Campanula hybrida</i>	L. Bell-flower corn	G.
24 267	<i>Chærophylum</i>	} L. Cow-parsly small	G.
	<i>temulum</i>		
24 268	<i>Comarum palustre</i>	Marsh-Cinquefoil	B.
⊙ 269	<i>Cochlearia Coro-</i>	} L. Swine's-Cress com-	W.
	<i>nopus</i>		
⊙ 270	————— <i>didyma</i>	————— double-podded	W.
24 271	<i>Crambe maritima</i>	Colewort sea	G.
24 272	<i>Cypripedium Cal-</i>	} Ladies slipper	W.
	<i>ceolus</i>		
24 273	<i>Dryas octopetala</i>	Dryas mountain	W.
⊙ 274	<i>Delphinium Con-</i>	} Larkspur	G.
	<i>folida</i>		
24 275	<i>Doronicum Par-</i>	} Leopard's bane	G.
	<i>dalianches</i>		
24 276	<i>Eriophorum poly-</i>	} L. Cotton-grass many	B.
	<i>stachion</i>		
⊙ 277	<i>Erigeron acre</i>	L. Erigeron biting	G.
⊙ 278	<i>Ervum tetrasper-</i>	} L. Tine-tare smooth pod-	G.
	<i>mum</i>		
⊙ 279	————— <i>hirsutum</i>	L. ——— hairy-podded	G.
24 280	<i>Equisetum limosum</i>	L. Horsetail smooth	B.
24 281	————— <i>palustre</i>	————— marsh	B.
24 282	————— <i>fluviatile</i>	L. ——— river	B.
24 283	<i>Festuca duriuscula</i>	L. Fescue-grass hard	Gr.
⊙ 284	————— <i>bromoides</i>	L. ——— barren	Gr.
⊙	————— <i>uniglumis</i>	L. ——— single-glumed	Gr.
⊙ 285	————— <i>myuros</i>	L. ——— wall	Gr.
24 286	————— <i>fluitans</i>	L. ——— float	Gr.
⊙ 287	<i>Fumaria officinalis</i>	L. Fumitory common	G.
⊙	<i>Galium spurium</i>	L. Cleaver smooth-seeded	G.
24 288	————— <i>Aparine</i>	L. ——— common	G.
⊙ 289	————— <i>montanum</i>	L. Bedstraw mountain	W.
⊙	<i>Galeopsis Ladanum</i>	Nettle-hemp red	G.
⊙ 290	————— <i>Tetrahit</i>	L. ——— common	G.
24 291	<i>Galeobdolon Ga-</i>	} L. Dead-nettle yellow	G.
	<i>leopsis</i>		
24 292	<i>Gnaphalium dioi-</i>	} Cudweed dioicous	W.
	<i>cum</i>		

24 293	<i>Glaux maritima</i>	Sea-milkwort	B.
24 294	<i>Geum urbanum</i>	L. Avens common	G.
⊙ 295	<i>Geranium mariti- mum</i>	Crane's-bill sea	W.
24 296	—— <i>nodosum</i>	—— knotted	G.
24 297	—— <i>sylvaticum</i>	—— wood	G.
⊙ 298	—— <i>lucidum</i>	L. —— shining	G.
⊙ 299	—— <i>columbinum</i>	L. —— long-stalked	G.
⊙ 300	—— <i>dissectum</i>	L. —— jagged	G.
— 3	<i>Hesperis inodora</i>	Dame s-Violet	G.
24 301	<i>Hippuris vulgaris</i>	L. Mare's-tail	B.
24 302	<i>Hordeum murinum</i>	L. Barley-grass wall	Gr.
24 303	<i>Hydrocotyle vulgaris</i>	L. Pennywort	B.
24 304	<i>Hippocrepis comosa</i>	Horse-shoe Vetch	W.
⊙ 305	<i>Hypochaeris glabra</i>	L. { Hawkweed small- flowered	G.
24	—— <i>maculata</i>	—— spotted	G.
24 306	—— <i>radicata</i>	L. —— long-rooted	G.
24 307	<i>Humulus Lupulus</i>	L. Hop	G.
24 308	<i>Hydrocharis Mor- fus ranæ</i>	L. Frog-bit	B.
24 309	<i>Imperatoria Of- truthium</i>	Master-wort	G.
24	<i>Juncus trifidus</i>	Rush trifid	B.
24	—— <i>triglumis</i>	—— three-glumed	B.
h 310	<i>Juniperus communis</i>	L. Juniper common	Tr.
24 311	<i>Isatis tinctoria</i>	Woad	G.
⊙ 312	<i>Jasione montana</i>	L. Sheep's-scabious hairy	W.
h 313	<i>Ligustrum vulgare</i>	L. Privet	Tr.
24 314	<i>Lolium perenne</i>	L. Rye or Ray-grass	Gr.
24 316	<i>Lyfimachia ne- morum</i>	L. Pimpernel yellow	Wd.
⊙ 316	<i>Lycopsis arvensis</i>	L. Bugloss small	G.
24 317	<i>Lithospermum pur- pureo-ceruleum</i>	} Gromwell purple	G.
⊙ 319	—— <i>arvense</i>	L. —— corn	G.
24 320	<i>Lychnis Flos Cu- culi</i>	L. Ragged Robin	G.

24 320	<i>Lychnis dioica</i>	L. <i>Lychnis red</i>	G.
24 321	———— <i>alba</i>	L. ——— <i>white</i>	G.
⊙ 322	<i>Lepidium ruderales</i>	Dittander narrow-leaved	G.
⊙ 323	<i>Lathyrus Nissolia</i>	L. <i>Grass-vetch crimson</i>	G.
⊙ 324	———— <i>Aphaca</i>	L. <i>Vetchling yellow</i>	G.
24 325	<i>Littorella lacustris</i>	L. <i>Littorella marsh</i>	B.
24 326	<i>Melica nutans</i>	L. <i>Melic-grass common</i>	Gr.
24 327	———— <i>montana</i>	———— <i>mountain</i>	Gr.
⊙ 328	<i>Montia fontana</i>	L. <i>Blinks</i>	B.
⊙ 329	<i>Myofotis scorpioides</i>	L. <i>Moufe-eat scorpion grass</i>	G.
	var. fl. luteis	L. ——— <i>yellow-flowered</i>	G.
24 330	———— <i>palustris</i>	L. ——— <i>marsh</i>	B.
⊙ 331	<i>Myofurus minimus</i>	L. <i>Moufe-tail</i>	W.
24 332	<i>Melittis Melif-</i>	<i>Bastard-Balm</i>	G.
	<i>sophyllum</i>		
⊙ 333	* <i>Myagrum fativum</i>	<i>Gold of pleasure</i>	G.
24 334	<i>Medicago lupulina</i>	L. <i>Medick hop, Nonesuch</i>	G.
24	<i>Orobanche major</i>	L. <i>Broom-rape common</i>	
24	———— <i>ramosa</i>	———— <i>branched</i>	
24	* <i>Orchis coriophora</i>	<i>Orchis small lizard</i>	W.
24 335	———— <i>Morio</i>	L. ——— <i>meadow</i>	W.
24 336	———— <i>ustulata</i>	L. ——— <i>dwarf</i>	W.
24 337	———— <i>latifolia</i>	———— <i>marsh</i>	W.
24	<i>Ophrys Nidus avis</i>	———— <i>bird's-nest</i>	W.
24	———— <i>cordata</i>	———— <i>heart-shaped</i>	W.
24	———— <i>paludosa</i>	———— <i>bog</i>	W.
24	———— <i>lilifolia</i>	———— <i>lily-leaved</i>	W.
24 338	———— <i>muscifera</i>	———— <i>fly</i>	W.
24 339	———— <i>apifera</i>	L. ——— <i>bee</i>	W.
24 340	———— <i>anthropophora</i>	L. <i>Tway man</i>	W.
24 341	———— <i>ovata</i>	———— <i>blade</i>	W.
⊙ 342	<i>Ornithopus per-</i>	<i>L. Bird's foot true</i>	W.
	<i>pufillus</i>		
24 343	<i>Ornithogalum py-</i>	<i>Star of Bethl'em moun-</i>	W.
	<i>reniacum</i>		
24 344	<i>Ononis spinosa</i>	L. <i>Restharrow prickly</i>	G.
24 345	———— <i>arvensis</i>	L. ——— <i>smooth</i>	G.
24	<i>Orobis sylvaticus</i>	<i>Vetch wood</i>	Wd.
24	<i>Osmunda Lunaria</i>	L. <i>Moonwort</i>	W.

24 346	Oenanthe pimpi- nelloides	} L. Dropwort Meadow	B.
24 347	Oxalis corniculata	Wood-Sorrel yellow	W.
24	Pinguicula villosa	Butterwort small	B.
24 348	—— vulgaris	—— common	B.
24	* Poa bulbosa	L. Meadow-grass bulbous	Gr.
24 349	—— pratensis	L. —— smooth-stalked	Gr.
24 350	—— trivialis	L. —— rough-stalked	Gr.
24	—— angustifolia	L. —— narrow-leaved	Gr.
24 351	—— nemoralis	L. —— wood	Gr.
⊙ 352	—— annua	L. —— annual	Gr.
⊙ 353	—— rigida	L. —— hard	Gr.
24 354	—— retroflexa	—— reflexed	Gr.
24	Potamogeton fer- raturum	} L. Pondweed ferrated	B.
24	Pulmonaria mari- tima	} Lungwort sea	G.
24	Pimpinella dioica	Burnet-saxifrage leaf	W.
24 355	Pyrola minor	Winter-green small	W.
24	—— secunda	—— ferrated	W.
⊙ 356	Papaver hybridum	L. { Poppy round prickly- headed	G.
⊙ 357	—— Argemone	L. { —— long prickly- headed	G.
⊙ 358	—— Rhœas	L. { —— round smooth- headed	G.
⊙ 359	—— dubium	L. { —— long smooth- headed	G.
24 360	—— cambricum	—— yellow	G.
⊙ 361	—— somniferum	L. —— garden	G.
24 362	Peucedanum offi- cinale	} Hog's-fennel	G.
24 363	Primula veris	L. Cowslip	Wd.
24 364	—— inodora	L. Oxlip	Wd.
24 365	—— farinosa	Bird's-eye	B.
24 366	Polygonum Bistorta	L. Bistort common	G.
24 367	—— viviparum	—— small	G.
24 368	Paris quadrifolia	L. Herb Paris	Wd.
24 369	Potentilla fruticosa	Cinquefoil shrubby	Tr.

24 370	Potentilla Anserina	L. Silver weed	G.
24 371	— rupestris	— rock	G.
24 372	— argentea	L. — tormentil	G.
24 373	— alba	— white	G.
24 374	— reptans	L. — common	G.
24 375	Pedicularis sylvatica	L. Red-rattle heath	B.
24	Pilularia globulifera	L. Pepper-grass	B.
24 376	Reseda lutea	Base-rocket	G.
⊙ 377	— Luteola	L. Dyer's-weed	G.
24	Rubus Chamæmorus	Cloud-berry	
24 378	— saxatilis	Bramble stone	G.
24 379	Rhinanthus Crista galli	L. { Yellow-rattle	B.
24 380	Rumex Acetosa	L. Sorrel common	G.
24 381	— Acetosella	L. — sheep's	G.
h 382	Rosa rubiginosa	L. Rose sweet-briar	Tr.
h 383	— spinosissima	L. — burnet	Tr.
h 384	— arvensis	L. — white	Tr.
h 385	— villosa	— apple	Tr.
h 386	— canina	L. — dog	Tr.
24 387	Ranunculus acris	L. Crowfoot tall	G.
⊙ 388	— — sceleratus	L. — — celery-leaved	G.
⊙ 389	— — parviflorus	L. — — small-flowered	G.
⊙ 390	— — arvensis	L. — — corn	G.
⊙ 391	— — hederaceus	L. — — ivy-leaved	B.
24 392	— — aquatilis	L. — — water	B.
⊙ 393	Raphanus Raphanistrum	L. Radish wild	G.
⊙	Silene noctiflora	{ Catchfly night-flower- ing	G.
⊙	— — conoidea	— — corn	G.
⊙ 394	— — quinquevulnera	— — variegated	G.
24 395	— — nutans	— — Nottingham	G.
24	— — amœna	— — sea	G.
⊙ 396	— — Armeria	— — common	G.
h	Sorbus hybrida	Service bastard	Tr.
24	Satyrion hircinum	Satyrion great lizard	W.
24	— — albidum	— — white	W.
24	— — repens	— — creeping	W.

24 397*	<i>Salvia pratensis</i>	L.	Clary meadow	G.
⊙ 398	— <i>verbenaca</i>	L.	— wild	G.
24 399	<i>Sagina procumbens</i>	L.	Pearlwort procumbent	W.
⊙ 400	— <i>apetala</i>	L.	— <i>apetalous</i>	W.
24 401	<i>Symphytum officinale</i>	}	L. Comfrey common	G.
24 402	— <i>tuberosum</i>		— — — tuberos	G.
24 403	<i>Sanicula europæa</i>	L.	Sanicle	Wd.
⊙ 404	<i>Scandix Pecten</i>	L.	Shepherd's needle	G.
⊙ 405	— <i>Anthriscus</i>	L.	Scandix rough-seeded	G.
h 406	<i>Sambucus nigra</i>	L.	Elder	Tr.
24 407	<i>Sibbaldia procumbens</i>	}	<i>Sibbaldia procumbent</i>	W.
⊙ 408	<i>Scleranthus annuus</i>		L. Knewel annual	W.
⊙	— <i>perennis</i>		— — — perennial	W.
24 409	<i>Saxifraga stellaris</i>		Saxifrage hairy	B.
24 410	— <i>hirculus</i>		— — — marsh	B.
24 411	— <i>hypnoides</i>		— — — trifold	W.
24 412	<i>Stellaria graminea</i>	L.	Stichwort small	G.
24 413	<i>Sisymbrium sylvestre</i>	}	L. Rocket creeping	B.
24 414	— <i>amphibium</i>		L. { Water-radish amphibious	B.
415	— <i>terrestre</i>	L.	— — — annual	B.
⊙ 416	— <i>Iris</i>	L.	Rocket London	G.
⊙ 417	— <i>Sophia</i>	L.	Flixweed	G.
⊙ 418	<i>Sinapis arvensis</i>	L.	Charlock	G.
⊙ 419	<i>Spartium scoparium</i>	L.	Broom	Tr.
h 420	<i>Sonchus oleraceus</i>	L.	Sow-thistle	G.
⊙ 421	<i>Senecio viscosus</i>		<i>Groundsel stinking</i>	G.
⊙ 422	— <i>sylvaticus</i>	L.	— — — mountain	G.
⊙	<i>Salix Myrsinites</i>		Willow whortle-leaved	Tr.
h	— <i>lapponum</i>		— — — wooly	Tr.
h	<i>Thesium linophyllum</i>	}	Bastard-Toad-flax	W.
⊙	* <i>Tordylium officinale</i>		Tordylium officinal	G.
24	<i>Trientalis europæa</i>		{ Chickweed-Winter-green	W.

J U L Y.

Deep to the root:

Of vegetation parch'd, the cleaving fields
 And slipp'ry lawn an arid hue disclose ;
 Echo no more returns the cheerful sound
 Of sharpening scythe ; the mower sinking heaps
 O'er him the humid hay, with flowers perfum'd.

Thomson.

24 449	<i>Agrostis littoralis</i>	Bent-grass Norfolk	Gr.
24	— <i>setacea</i>	— sheep's-fescue	Gr.
24	— <i>pumila</i>	— dwarf	Gr.
⊙ 450	— <i>spica venti</i>	L. — bearded	Gr.
24 451	— <i>canina</i>	L. — brown	Gr.
24 452	— <i>tenuifolia</i>	L. — fine-leaved	Gr.
24 453	— <i>alba</i>	L. — white	Gr.
24 454	— <i>capillaris</i>	L. — fine-panicle	Gr.
24 455	— <i>stolonifera</i>	L. — couchy	Gr.
24	<i>Arundo epigejos</i>	Reed-grass small	Gr.
24 456	<i>Asperula cynanchica</i>	Squinancy wort	W.
24	<i>Athamanta Oreoselinum</i>	Spignel mountain	G.
24 457	<i>Allium Ampeloprasum</i>	Garlic round-headed	G.
	— <i>oleraceum</i>	— herbaceous	G.
	<i>Alisma natans</i>	Water-Plantain creeping	B.
458	— <i>Plantago aquatica</i>	L. — great	B.
459	— <i>ranunculoides</i>	— small	B.
460	— <i>Damasonium</i>	L. — starry-headed	B.
	<i>Arenaria loricifolia</i>	Chickweed larch-leaved	W.
461	— <i>pepoides</i>	— purslane-leaved	W.
462	<i>Antirrhinum repens</i>	Toad-flax creeping	G.
463	— <i>arvense</i>	— corn	G.

464	<i>Antirrhinum Li-</i>	}	L. Toad-flax common	G.
	<i>naria</i>			
465	— minus		— small	
	<i>Astragalus uralensis</i>		<i>Astragalus hairy</i>	
466	— glycyphyllos	}	L. Liquorice Vetch	G.
	<i>Artemisia campestris</i>		Southernwood field	G.
	<i>Anthemis arvensis</i>		Mayweed corn	G.
	— maritima		— sea	G.
467	— <i>Cotula</i>	}	L. — stinking	G.
468	— tinctoria		Ox-eye	G.
469	<i>Alopecurus geni-</i>	}	L. Fox-tail jointed	Gr.
	<i>culatus</i>			
470	— bulbosus		— bulbous	Gr.
471	— monspeliensis		— bearded	Gr.
472	<i>Aira cespitosa</i>		L. Hair-grass turf	Gr.
473	— flexuosa		L. — heath	Gr.
474	— setacea		— fine-leaved	Gr.
475	— canescens		— grey	Gr.
476	<i>Avena nuda</i>		Oat-grass naked	Gr.
477	— fatua		— bearded	Gr.
478	<i>Alchemilla alpina</i>		Ladies-mantle alpine	W.
479	<i>Anagallis arvensis</i>		L. Pimpernel common	G.
480	— tenella		L. — bog	B.
481	<i>Atropa Belladonna</i>		Deadly Nightshade	G.
482	<i>Anethum Fœni-</i>	}	Fennel	G.
	<i>culum</i>			
483	<i>Apium graveolens</i>		L. Smallage	G.
484	<i>Althæa officinalis</i>		Marsh-mallow	G.
485	<i>Anthyllis vulneraria</i>		Ladies-finger	W.
486	<i>Arctium Lappa</i>		L. Burdock	G.
487	<i>Achillea Mille-</i>	}	L. Yarrow	G.
	<i>folium</i>			
488	<i>Aristolochia Cle-</i>	}	Birthwort climbing	G.
	<i>matitis</i>			
489	<i>Anthericum offi-</i>	}	L. Asphodel Lancashire	B.
	<i>fragum</i>			
490	<i>Briza media</i>		L. Quaking-grass common	Gr.
⊙ 491	— minor		— small	Gr.
⊙ 492	<i>Bromus secalinus</i>		L. Brome-grass corn	Gr.

24 493	<i>Bromus giganteus</i>	L. Brome-grass tall	Gr.
24 494	— <i>hirsutus</i>	L. — hairy-stalked	Gr.
24 495	<i>Beta maritima</i>	Beet sea	G.
⊙ 496	<i>Bupleurum rotundifolium</i>	L. Thorough-wax common	G.
⊙ 497	— <i>tenuissimum</i>	L. — — least	G.
24 498	<i>Butomus umbellatus</i>	L. Flowering-rush	B.
24 499	<i>Betonica officinalis</i>	L. Betony wood	G.
24 500	<i>Brassica muralis</i>	L. Rocket stinking	G.
⊙	— <i>campestris</i>	Cabbage field	G.
⊙	— <i>orientalis</i>	— — perfoliate	G.
♂ 501	<i>Campanula patula</i>	Bell-flower spreading	G.
♂ 502	— <i>Rapunculus</i>	L. — — Rampion	G.
24 503	— <i>latifolia</i>	Throat-wort Giant	G.
24 504	— <i>Trachelium</i>	L. — — common	G.
24 505	— <i>hederacea</i>	L. Bell-flower ivy-leaved	W.
⊙	<i>Cuscuta europæa</i>	Dodder	
⊙	<i>Caucalis latifolia</i>	Caucalis broad-leaved	G.
♂	<i>Chelidonium hybridum</i>	L. Horn-poppy violet	G.
♂	— <i>corniculatum</i>	— — red	G.
♂ 506	— <i>Glaucium</i>	L. — — yellow	G.
24 507	— <i>majus</i>	L. Celandine common	G.
24	<i>Crepis foetida</i>	{ Succory-Hawkweed stinking	G.
♂ 508	— <i>tectorum</i>	L. — — common	G.
♂ 509	— <i>biennis</i>	L. — — Kentish	G.
24 510	<i>Circæa lutetiana</i>	L. { Enchanter's Night- shade common	G.
24 511	— <i>alpina</i>	— — alpine	G.
24 512	<i>Cynosurus cristatus</i>	L. Dog's-tail-grass crested	Gr.
⊙ 513	<i>Centunculus minimus</i>	L. Bastard-Pimpernel	B.
♂ 514	<i>Cynoglossum officinale</i>	L. Hound's-tongue	G.
24 515	<i>Convolvulus arvensis</i>	L. Bindweed small	G.
24 516	— <i>Soldanella</i>	— — sea	G.
⊙ 517	<i>Chironia Centaurium</i>	L. Centaury	W.

⊙ 518	Chenopodium Vulvaria	}	L. Orach stinking	G.
⊙ 519	— polyspermum		L. Allseed	G.
♂ 520	Conium maculatum		L. Hemlock	G.
24 521	Crithmum ma- ritimum	}	Samphire	G.
24 522	Cicuta virosa	L. {	Water-Hemlock long- leaved	B.
♂ 523	Coriandrum fativum		Coriander	G.
♂ 524	Chlora perfoliata		Yellow-wort perfoliate	W.
24 525	Cucubalus bacci- ferus		Campion berry-bear- ing	G.
24 526	— Behen	L. —	— bladder	G.
24	— viscosus		— Dover	W.
24 527	— Otites		— Spanish	W.
24	Cherleria sedoides		Cherleria mossy	W.
24 528	Cistus Helian- themum	}	L. Cistus dwarf	W.
24 529*	— <i>surrejanus</i>		— <i>narrow-petal'd</i>	W.
24 530	— polifolius		— mountain	W.
24 531	Clinopodium vul- gare	}	L. Basil wild	G.
24 532	Cichorium Intybus		L. Succory blue	G.
24 533	Carduus arvensis		L. Thistle cursed	G.
♂ 534	— lanceolatus	L. —	— spear	G.
♂ 535	— nutans	L. —	— musk	G.
♂ 536	— crispus	L. —	— curled	G.
⊙ 537	— acanthoides	L. —	— welshed	G.
♂ 538	— palustris	L. —	— marsh	G.
24 539	— helenoides		— melancholy	G.
24 540	— heterophyllum	L. —	— meadow	G.
♂ 541	— marianus	L. —	— milk	G.
♂	— eriophorus		— wooly-headed	G.
24 542	— acaulis		— dwarf	G.
♂ 543	Carlina vulgaris	L. —	— Carlina	G.
⊙ 544	Chrysanthemum segetum	}	L. Corn-marigold	G.
24 545	— Leucanthemum		L. Ox-eye-daisy	G.
⊙ 546	Centaurea Cyanus		L. Blue-bottle	G.

♂ 547	Centaurea fol- stitialis	}	St. Barnaby's Thistle	G.
24	Carex tomentosa		Carex downy	B.
24 548	— pseudo-Cyperus	L.	— bastard Cyperus	B.
⊙	Chara vulgaris	L.	Chara common	
⊙	— tomentosa		— downy	
⊙	— hispida		— hispid	
⊙	— flexilis	L.	— flexible	
⊙	Drosera rotundi- folia	}	L. Sun dew round-leaved	B.
⊙	— longifolia	L.	— long-leaved	B.
24	Dianthus arenaria		Pink common	G.
⊙ 549	— Armeria	L.	— Deptford	G.
⊙ 550	— prolifer		— proliferous	G.
24 551	— Caryophyllus		— Clove	G.
24 552	— deltoides	L.	— maiden	W.
24 553	— glaucus		— mountain	W.
24 554	Dactylis glomeratus	L.	Cock's-foot-grass rough	Gr.
♂ 555	Daucus Carota	L.	Wild-Carrot	G.
♂ 556	Draba incana	}	Whitlow-grass wreathen- podded	W.
♂ 557	Digitalis purpurea	L.	Fox-glove	G.
♂	Echium italicum		Viper's-Bugloss wall	G.
♂ 558	— vulgare	L.	— common	G.
24	* Echinophora spinosa	}	Prickly-samphire	G.
♂	Euphorbia Paralias		Spurge sea	W.
24 559	Elymus arenarius		Lyne-grass sea	G.
24 560	— caninus	L.	— dogs	Gr.
24 561	Eryngium mari- timum	}	Eryngo sea	G.
24 562	— campestre		— common	G.
24 563	Epilobium angus- tifolium	}	Willow-herb Rosebay	G.
24 564	— hirsutum	L.	— large-flowered	G.
24 565	— villosum	L.	— hoary	G.
24 566	— montanum	L.	— mountain	G.
24 567	— dubium	L.	— spurious	G.
24 568	— tetragonum	L.	— square stalked	G.

24 569	<i>Epilobium palustre</i>	L. Willow-herb marsh	B.
24 570	— <i>alpinum</i>	— alpine	W.
24 571	<i>Erica cinerea</i>	L. Heath fine-leaved	B.
24 572	— <i>tetralix</i>	L. — cross-leaved	B.
♂ 573	<i>Erysimum officinale</i>	L. Hedge-mustard	G.
♂ 574	— <i>cheiranthoides</i>	Treacle-wormseed	G.
24 575	<i>Eupatorium cannabinum</i>	L. Water-Hemp-agri- mony	G.
24	<i>Eriocaulon decangulare</i>	} Networt	B.
24	<i>Frankenia pulverulenta</i>		
24 576	— <i>lævis</i>	— smooth	W.
24 577	<i>Festuca ovina</i>	L. Fescue-grass sheep's	Gr.
24 578	— var. <i>vivipara</i>	— viviparous	Gr.
24 579	— <i>pratensis</i>	L. — meadow	Gr.
24 580	— <i>elatior</i>	L. — tall	Gr.
24 581	— <i>pinnata</i>	L. — spiked	Gr.
24 582	— <i>decumbens</i>	L. — decumbent	Gr.
24 583	— <i>sylvatica</i>	L. — wood	Gr.
24	— <i>glabra</i>	L. — smooth	Gr.
♂ 584	<i>Fumaria claviculata</i>	L. Fumitory	Gr.
24	<i>Galium erectum</i>	Ladies-bedstraw upright	B.
24 585	— <i>palustre</i>	L. — marsh	B.
24 586	— <i>uliginosum</i>	L. — bog	B.
24 587	— <i>Mollugo</i>	L. — white	G.
24 588	— <i>verum</i>	L. — yellow	G.
24	<i>Galeopsis villosa</i>	Nettle-hemp hairy	G.
⊙	<i>Gnaphalium luteo-album</i>	} Cudweed Jersey	W.
24 589	<i>Gentiana Pneumonanthe</i>		
24 590	<i>Geranium pratense</i>	L. Calathian Violet	W.
24 591	— <i>pyrenaicum</i>	L. Crane's-bill Crowfoot	G.
24 592	— <i>rotundifolium</i>	L. — mountain	G.
⊙ 592	— <i>rotundifolium</i>	L. — true Dove's-foot	G.
24 593	— <i>sanguineum</i>	— bloody	G.
24 594	<i>Genista tinctoria</i>	L. Greenweed Dyers	G.
24 595	— <i>pilosa</i>	— hairy	W.
24 596	— <i>angelica</i>	L. — Petty Whin	Tr.

24	Hieracium alpinum	Hawkweed alpine	W.
24	———— Taraxaci	———— Dandelion	G.
24	———— Auricula	———— narrow-leaved	G.
24	———— paludosum	———— marsh	G.
24 597	———— Pilosella	L. ——— Mouse-ear	G.
24 598	———— dubium	———— creeping	G.
24 599	———— murorum	———— Golden Lungwort	G.
24 600	———— subaudum	L. ——— shrubby	G.
24 601	———— umbellatum	L. ——— bushy	G.
⊙ 602	Hyoseris minima	L. Swine's-Succory leaf	G.
24 603	Hordeum murinum	L. Barley-grass wall	Gr.
24 604	———— sylvaticum	———— wood	Gr.
24 605	———— pratense	L. ——— meadow	Gr.
24 606	Holcus mollis	L. Soft-grass wood	Gr.
24 607	———— lanatus	L. ——— meadow	Gr.
24 608	Hottonia palustris	L. Water-violet	B.
♂ 609	Hyoscyamus niger	L. Henbane	G.
24 610	Herniaria glabra	Rupture-wort smooth	W.
24 611	———— hirsuta	———— hairy	W.
24 612	Hieracium Sphon-	L. Cow-parsnep	G.
	dylium		
24 613	Hedysarum Ono-	L. Saint-foin	G.
	brychis		
24 614	Hypericum An-	L. Tutfan	G.
	drofæum		
24 615	———— humifusum	L. St. John's-wort trailing	W.
24 616	———— pulchrum	L. ——— small upright	G.
24 617	———— perforatum	L. ——— common	G.
24 618	———— hirsutum	L. ——— hairy	G.
24 619	———— montanum	L. ——— mountain	G.
24 620	———— quadrangulum	L. ——— square-stalked	G.
24 621	———— elodes	L. ——— marsh	B.
24	Isoetes lacustris	Quillwort	B.
⊙ 622	Iberis amara	Candy-tuft bitter	G.
24 623	Juncus acutus	Rush sea	B.
24 624	———— conglomeratus	L. ——— clustered	B.
24 625	———— effusus	L. ——— soft	B.
24 626	———— squarrosus	L. ——— goose	B.
24 627	———— articulatus	L. ——— jointed	B.

24 628	<i>Juncus compressus</i>	L. Rush flat-stalked	B.
24 629	— <i>viviparus</i>	L. — viviparous	B.
24 630	— <i>bulbosus</i>	L. — bulbous	B.
⊙ 631	— <i>bufonius</i>	L. — toad	B.
24 632	— <i>glaucus</i>	L. — glaucous	B.
24	— <i>spicatus</i>	L. — spiked	B.
24 633	<i>Iris Pseudacorus</i>	L. Flag yellow	Ġ.
24 634	— <i>fœtidissima</i>	— stinking	G.
⊙ 635	<i>Impatiens noli me tangere</i>	Touch me not	Wd.
⊙ 636	<i>Limosella aquatica</i>	Mudwort	B.
24 637	<i>Lavatera arborea</i>	Tree Mallow	G.
24	<i>Lathyrus palustris</i>	Vetch marsh	B.
⊙	— <i>hirsutus</i>	— hairy	G.
24 638	— <i>pratensis</i>	L. — meadow	G.
24 639	— <i>latifolius</i>	L. { Everlasting Pea broad leaved	G.
24 640	— <i>fylvestris</i>	— narrow-leaved	G.
24	<i>Lobelia Dortmanna</i>	Gladiole water	B.
24	— <i>urens</i>	L. Lobelia stinking	G.
24 641	<i>Lycopus europæus</i>	L. Water-horehound	G.
⊙ 642	<i>Lolium temulentum</i>	L. Darnel	Gr.
24 643	<i>Lyfimachia thyr- siflora</i>	Loosestrife tufted	B.
24 644	— <i>Nummularia</i>	L. Moneywort	G.
24 645	<i>Lonicera Pericly- menum</i>	L. Honeyfuckle	Wd.
24 646	<i>Ligusticum Sco- ticum</i>	Lovage Scottish	W.
24 *	— <i>Cornubiente</i>	— Cornish	
⊙ 647	<i>Linum usitatissimum</i>	Flax common	G.
24 648	— <i>perenne</i>	— perennial	G.
♂ 649	— <i>angustifolium</i>	L. — narrow-leaved	G.
⊙ 650	— <i>Radiola</i>	L. — least	W.
⊙ 651	— <i>catharticum</i>	L. — purging	W.
24 652	<i>Lythrum Salicaria</i>	{ Loose-strife purple- spiked	G.
⊙ 653	— <i>hyssopifolium</i>	— hyssop-leaved	B.
24 654	<i>Lepidium latifolium</i>	Dittander broad-leaved	G.

⊙ 655	<i>Lepidium ruderales</i>	L.	{ Dittander narrow-leaved	G.
24 656	<i>Lotus corniculatus</i>	L.	Birds-foot Trefoil	W.
⊙ 657	<i>Lactuca virofa</i>	L.	Lettuce wild	G.
⊙	———— <i>scariola</i>	L.	———— prickly	G.
24 658	———— <i>faligna</i>	L.	———— least	G.
24 659	<i>Leontodon hispidum</i>	}	L. Dandelion rough	G.
⊙ 660	<i>Lapfana communis</i>		L. Nipplewort	G.
24 661	<i>Littorella lacuftris</i>		I ittorella fmall	B.
⊙	<i>Milium lendigerum</i>		Millet-grafs corn	Gr.
24 662	———— <i>effufum</i>		———— wood	Gr.
24	<i>Monotropa Hypopithys</i>	}	Hypopitys yellow	
24	<i>Mentha fativa</i>		Mint curled	B.
24 663	———— <i>viridis</i>		———— fpear	B.
24 664	———— <i>villofa</i>		———— hoary	B.
24 665	———— <i>fylveftris</i>		———— horfe	B.
24 666	———— <i>rotundifolia</i>		———— round-leaved	B.
24 667	———— <i>piperitis</i>		———— pepper	B.
24 668	———— <i>aquatica</i>		———— water	B.
24 669	———— <i>gentilis</i>		———— red	B.
24 670	———— <i>arvenfis</i>	L.	———— field	B.
24 671	———— <i>Pulegium</i>		Pennyroyal	B.
⊙	<i>Melampyrum cristatum</i>	}	Cow-wheat crefted	Wd.
⊙	———— <i>arvenfe</i>		———— corn	Wd.
⊙	———— <i>pratense</i>		———— meadow	Wd.
⊙	———— <i>fylvaticum</i>		———— wood	Wd.
♂	<i>Malva parviflora</i>		Mallow fmall-flowered	G.
24 672	———— <i>fylveftris</i>		———— common	G.
24 673	———— <i>rotundifolia</i>		———— dwarf	G.
24 674*	———— <i>Alcea</i>	L.	———— Vervain	G.
24 675	———— <i>meſchata</i>	L.	———— muſk	W.
24 676	<i>Myriophyllum ſpicatum</i>	}	L. Water-milfoil ſpiked	B.
24 677	———— <i>verticillatum</i>		L. ————— whirled	B.
24 678	<i>Menyanthes nymphoides</i>	}	Water-lily fringed	B.

24 679	Melissa Calamintha	Calamint mountain	G.
24 680	Medicago fativa	Lucern	G.
24 681	———— falcata	Medick yellow	G.
⊙ 682	———— polymorpha	L. Claver	G.
⊙ 683	Matricaria Ca- momilla	L. Camomile corn	G.
⊙ 684	Mercurialis annua	L. Mercury French	G.
24 685	Nardus stricta	L. Mat-grafs	Gr.
24 686	Nymphaea lutea	L. Water-lily yellow	B.
24 687	———— alba	L. ————— white	B.
24 688	Nepeta Cataria	L. Catmint	G.
24	Ophrys monorchis	Orchis musk	W.
24 689	Oenanthe fistulosa	L. { Water-dropwort com- mon	B.
24 690	———— crocata	L. ————— hemlock	B.
24 691	Origanum vulgare	L. Marjoram wild	G.
3 692	Onopordum A- canthium	L. Cotton-thistle	G.
24 693	Orchis bifolia	L. Orchis butterfly	W.
24 694	———— pyramidalis	———— pyramidal	W.
24 695	———— maculata	L. ————— late-spotted	W.
24 696	———— conopsea	———— sweet-scented	W.
⊙ 697	Phleum arenarium	Cat's-tail grafs sea	Gr.
24 698	———— pratense	L. ————— meadow	Gr.
24 699	———— nodosum	L. ————— bulbous	Gr.
⊙ 600	———— paniculatum	———— paniced	Gr.
24 701	Poa compressa	L. { Meadow-grafs flat- stalked	Gr.
24	———— alpina	———— alpine	Gr.
24 702	———— cristata	L. ————— crested	Gr.
24 703	———— maritima	———— sea	Gr.
24	Potamogeton lucens	L. Pondweed shining	B.
24	———— compressum	L. ————— flat	B.
24	———— gramineum	L. ————— grassy	B.
24	———— pectinatum	L. ————— fine	B.
24	———— fetaceum	———— fetaceous	B.
24	———— marinum	———— sea	B.
24	———— pusillum	———— small	B.
24 704	———— natans	L. ————— broad-leaved	B.

4 705	Potamogeton per- foliatum	} L. Pondweed perfoliate	B.
4 706	— crispum	L. ——— curled	B.
4 707	— densum	L. ——— dichotomous	B.
⊙ 708	Phalaris canariensis	Canary-grass common	Gr.
4 709	— arundinacea	L. ——— reed	Gr.
⊙	— phicoides	— cat's-tail	Gr.
⊙ 710	Polycarpon tetra- phyllum	Polycarpon four-leav- ed	W.
4 711	Plantago major	L. Plantain great	G.
4 712	— media	L. ——— hoary	G.
4 713	— coronopus	L. ——— buckthorn	G.
4 714	— maritima	— sea	G.
4 715	Polemonium cæ- ruleum	} Jacob's Ladder	G.
4 716	Phyteuma orbi- cularis	} Rampion-horned	G.
♂ 717	Phellandrium aqua- ticum	L. Water-hemlock fine- leaved	B.
♂ 718	Pastinaca sylvestris	L. Parsnep wild	G.
4 719	Pimpinella major	Burnet-faxifrage large	G.
4 720	— faxifraga	L. ——— small	G.
⊙ 721	Peplis Portula	L. Purslane water	B.
4 722	Pyrola rotundi- folia	Winter-green round- leaved	W.
⊙ 723	Prunella vulgaris	L. Self heal	G.
⊙ 724	Pedicularis palustris	L. Loufewort marsh	B.
4 725	Polygala vulgaris	L. Milkwort	W.
4	Pisum maritimum	Pea sea	G.
4 726	Prenanthes mura- lis	L. Wild Lettuce ivy- leaved	G.
⊙ 727	Picris echioides	L. Ox-tongue	G.
4	— hieracioides	Hawkweed rough	G.
4 728	Poterium San- guisorba	} Burnet great	G.
4	Panicum Dactylon	Panic-grass creeping	Gr.
4 729	Parietaria officinalis	L. Pellitory of the Wall	G.
4	Rubia peregrina	Madder wild	G.
4	Ruppia maritima	Ruppia sea	B.

24 730	<i>Rumex maritimus</i>	L. Dock-small water	G.
24 731	— <i>fanguineus</i>	L. — bloody	G.
24 732	— <i>crispus</i>	L. — curled	G.
24 733	— <i>pulcher</i>	L. — fiddle	G.
24 734	— <i>Hydrolapathum</i>	L. — Great Water	G.
24 735	— <i>obtusifolium</i>	L. — broad-leaved	G.
24 736	— <i>acutus</i>	L. — sharp-pointed	G.
24 737	— <i>digynus</i>	Sorrel mountain	G.
24 738	<i>Rubus idæus</i>	Raspberry	Tr.
24 739	— <i>cæsius</i>	L. Dewberry	G.
24 740	— <i>fruticosus</i>	L. Bramble common	G.
24 741	<i>Ranunculus</i>	}	B.
	<i>Flammula</i>		
24 742	— <i>Lingua</i>	L. — great	B.
24 743	— <i>repens</i>	L. Crowfoot creeping	G.
⊙ 744	— <i>birsutus</i>	L. — hairy	G.
24	<i>Scirpus romanus</i>	Club-rush single-headed	B.
24 745	— <i>fetaceus</i>	L. — least	B.
24 746	— <i>palustris</i>	L. — marsh	B.
24 747	— <i>lacustris</i>	L. Bull rush	B.
24 748	— <i>mucronatus</i>	L. Club-rush pointed	B.
24 749	— <i>maritimus</i>	L. — sea	B.
24 750	— <i>sylvaticus</i>	L. — wood	B.
24	— <i>pauciflorus</i>	— few-flowered	B.
⊙	<i>Salsola Kali</i>	Glaswort prickly	B.
24	<i>Saxifraga nivalis</i>	Saxifrage mountain	W.
24 751	— <i>autumnalis</i>	— autumnal	W.
24 752	— <i>ceipitosa</i>	— matted	W.
⊙ 753	<i>Silene anglica</i>	L. Catchfly English	W.
⊙	<i>Spergula pentandra</i>	Spurry pentandrous	W.
24 754	— <i>faginoides</i>	L. — pearlwort	W.
24 755	— <i>nodosa</i>	L. — knotted	W.
⊙ 756	— <i>arvensis</i>	L. — common	W.
⊙	<i>Subularia aquatica</i>	Awlwort	B.
⊙	<i>Sonchus alpinus</i>	Sow-thistle alpine	G.
24 757	— <i>arvensis</i>	L. — corn	G.
24 758	— <i>palustris</i>	L. — marsh	G.
24	<i>Serratula alpina</i>	Saw-wort mountain	G.
24 759	— <i>tinctoria</i>	L. — common	G.

24 760	Sagittaria sagitti- folia	} L. Arrow-head	B.
24	<i>Satyrion fuscum</i>	<i>Satyrion brown</i>	W.
24 761	— viride	— green	W.
24 762	Senecio Jacobæa	L. Ragwort common	G.
24 763	— aquatica	L. — marsh	G.
24	Santolina maritima	Santolina sea	G.
⊙ 764	Salicornia herbacea	Glaſwort jointed	B.
24 765	— fruticosa	— shrubby	B.
24 766	Schænus Mariscus	Bogruſh prickly	B.
24 767	— nigricans	— black headed	B.
24 768	— compressus	— compressed	B.
⊙ 769	— albus	L. — white	B.
⊙	— fuscus	— brown	B.
24 770	Stipa pinnata	Feather-graſs	Gr.
24 771	Scabioſa arvenſis	L. Scabious field	G.
24 772	— columbaria	— mountain	G.
24 773	Sanguiforba offi- cinalis	} Burnet great	G.
24 774	Solanum Dulca- mara	} L. Nightſhade woody	G.
24	Swertia perennis	Marſh Gentian	B.
24 775	Selinum paluſtre	Selinum marſh	B.
24 776	Sifon ſegetum	L. Honewort corn	G.
⊙ 777	— inundatum	L. — water	B.
24 778	Sambucus Ebulus	L. Dwarf Elder	G.
24 779	Statice Armeria	Thrift	G.
24 780	— reticulata	Sea Lavender matted	B.
24 781	— Limonium	— common	B.
24 782	Saponaria officinalis	L. Sopewort	G.
24 783	Sedum Telephium	L. Orpine	W.
24 784	— reflexum	L. { Stone-crop ſharp- pointed	W.
24 785	— rupeſtre	— rock	W.
24 786	— album	L. — white	W.
24 787	— acre	L. — biting	W.
24 788	— ſexangulare	L. — inſipid	W.
24 789	— Anglicum	— Engliſh	W.

4 790	<i>Sedum dasyphyllum</i>	} L. Stone-crop thick-leaved	W.
♂ 791	— <i>villosum</i>	— bog	B.
4 792	<i>Sempervivum tectorum</i>	} L. House-leek	W.
4 793	<i>Spiræa Filipendula</i>	L. Dropwort	G.
4 794	<i>Stratiotes aloides</i>	Fresh-water Soldier	B.
4 795	<i>Schrophularia nodosa</i>	} L. Figwort knobby	G.
4 796	— <i>aquatica</i>	L. — Water Betony	G.
4 797	— <i>Scorodonia</i>	— Balm leaved	G.
4 798	<i>Sibthorpia europæa</i>	Bastard Moneywort	W.
4 799	<i>Sinapis nigra</i>	L. Mustard black	G.
⊙ 800	— <i>alba</i>	L. — white	G.
⊙ 801	<i>Solidago cambrica</i>	Golden-rod Welch	G.
4	<i>Serapias longifolia</i>	Helleborine long-leaved	Wd
4	— <i>grandiflora</i>	— great-flowered	Wd.
4 802	— <i>palustris</i>	— marsh	Wd.
4	— <i>latifolia</i>	— broad-leaved	Wd.
4	— <i>angustifolia</i>	— narrow-leaved	Wd.
4	— <i>purpurascens</i>	— red	Wd.
4 803	<i>Sparganium erectum</i>	} L. Bur-red common	B.
4 804	— <i>natans</i>	— small	B.
4	<i>Triticum junceum</i>	Wheat-grass rushy	Gr.
4 805	— <i>repens</i>	L. Couch-grass garden	Gr.
♂	<i>Thlaspi hirtum</i>	{ Mithridate-mustard	
		{ rough	G.
4 806	<i>Triglochin palustre</i>	L. { Arrow-headed-grass	
		{ marsh	B.
4 807	— <i>maritimum</i>	L. — sea	B.
4 808	<i>Thalictrum alpinum</i>	Meadow-rue mountain	W.
4 809	— <i>minus</i>	— small	G.
4 810	— <i>flavum</i>	L. — common	G.
4 811	<i>Teucrium Scordium</i>	Scordium	B.
4 812	— <i>Chamædrys</i>	Germander	G.
⊙ 813	— <i>Chamæpitys</i>	L. Ground pine	G.
4 814	— <i>Scorodonia</i>	L. Wood Sage	G.

24 815	Thymus Serpyllum	L. Thyme wild	W.
24 816	— Acinos	L. — basil	W.
24 817	Trifolium repens	L. Clover Dutch	G.
24 818	— ochroleucon	L. — yellow	G.
24 819	— alpestre	L. — alpine	G.
24 820	— maritimum	Trefoil sea	W.
⊙ 821	— arvense	L. — hare's-foot	W.
⊙ 822	— striatum	L. — striated	W.
⊙ 823	— glomeratum	L. — round-headed	W.
24 824	— fragiferum	L. — strawberry	G.
⊙ 825	— agrarium	L. — hop	W.
⊙ 826	— procumbens	L. — procumbent	W.
⊙ 827	— filiforme	L. — least	W.
24 828	Tanacetum vulgare	L. Tansy common	G.
24 829	Typha latifolia	L. Cat's-tail large	B.
24 830	— angustifolia	L. — small	B.
24 831	Tormentilla offi- cinalis	} L. Tormentil common	G.
24 832	var. reptans		G.
24	Utricularia vul- garis	L. Hooded-Milfoil com- mon	B.
24	— minor	— small	B.
⊙ 833	Urtica pilulifera	Nettle Roman	G.
⊙ 834	— urens	L. — small	G.
⊙ 835	— dioica	L. — common stinging	G.
♂ 836	Verbascum Thapsus	L. Mullein tall	G.
♂ 837	— Lychnitis	L. — Kentish	G.
♂ 838	— pulverulentum	— Norfolk	G.
♂ 839	— Blattaria	L. — moth	G.
24 840	— nigrum	L. — black	G.
24	Vicia hybrida	Vetch bastard	G.
24	— bithynica	— rough	G.
24 841	Veronica spicata	Speedwell spiked	G.
24 842	— hybrida	— Welch	G.
24 843	— officinalis	L. — male	G.
24 844*	— fruticulosa	— shrubby	G.
24 845	— Becabunga	L. Brooklime	B.
24 846	Valeriana officinalis	L. Valerian great	G.
24 847	Vicia sylvatica	Vetch wood	G.

116 BRITISH PLANTS.

24 848	<i>Vicia lutea</i>	Vetch yellow	G.
24 849	— <i>sepium</i>	L. — bush	G.
24 850	— <i>Cracca</i>	L. — tufted	G.
24 851	<i>Verbena officinalis</i>	L. Vervain	G.
⊙ 852	<i>Xanthium Stru-</i>	Burdock lesser	G.
	<i>marium</i>		
24	<i>Zostera marina</i>	Grass-wrack	B.
24	<i>Zannichellia pa-</i>	L. <i>Zannichellia</i>	B.
	<i>lustris</i>		

AUGUST.

The sunny wall
Presents the downy Peach, the shining Plum,
The ruddy fragrant Nectarine, and dark,
Beneath his ample leaf, the luscious Fig;
The Vine too, here, her curling tendrils shoots,
Hangs out her clusters, glowing, to the south,
And scarcely wishes for a warmer sky.

Thomson.

⊙ 853	<i>Antirrhinum E-</i>	L. <i>Fluellin</i> sharp-pointed	W.
	<i>latine</i>		
⊙ 854	— <i>spurium</i>	L. — round-leaved	W.
⊙ 855	— <i>Orontium</i>	L. Snapdragon small	W.
24 856	<i>Arundo Calama</i>	L. Reed-grass wood	Gr.
	<i>grostis</i>		
♂ 857	<i>Angelica fylvestris</i>	L. <i>Angelica</i> wild	B.
24 858	<i>Allium carinatum</i>	Garlic mountain	B.
24 859	— <i>vineale</i>	L. — crow	B.
24	<i>Anthericum ca-</i>	Asphodel Scottish	B.
	<i>lyculatum</i>		

24 860	<i>Agrimonia Eupatoria</i>	L. Agrimony	G.
24	<i>Artemisia campestris</i>	Wormwood field	G.
24 861	— <i>maritima</i>	— sea	G.
24 862	— <i>Abfinthium</i>	L. — common	G.
24 863	— <i>cærulefcens</i>	L. — blueifh	G.
24 864	— <i>vulgaris</i>	Mugwort	G.
24 865	<i>Aster Tripolium</i>	Starwort fea	B.
24 866	<i>Anthemis nobilis</i>	L. Camomile common	G.
24 867	<i>Achillea Ptarmica</i>	L. Sneefewort	G.
⊙ 868	<i>Amaranthus Blitum</i>	L. Amaranthus blite	G.
24 869	<i>Attriplex portulacoides</i>	Orach purflane-leaved	G.
⊙ 870	— <i>laciniata</i>	— fea	G.
⊙ 871	— <i>hastata</i>	L. — fpear	G.
⊙ 872	— <i>patula</i>	L. — fpredding	G.
⊙	— <i>ferrata</i>	— oak-leaved	G.
⊙ 873	— <i>littoralis</i>	— grafs leaved	G.
⊙	— <i>pedunculata</i>	— peduncled	G.
24 874	<i>Adiantum Capillus</i>	Maiden-hair true	W.
24 875	<i>Asplenium Adiantum nigrum</i>	L. — black	W.
24 876	— <i>Ruta muraria</i>	L. — wall rue	W.
24	— <i>marinum</i>	— fea	W.
24	— <i>lanccolatum</i>	— fpear	W.
24	— <i>viride</i>	— green	W.
24 877	— <i>Trichomanes</i>	L. — common	W.
24 878	— <i>Ceterach</i>	Spleenwort	W.
24 879	— <i>Scolopendrium</i>	Hart's-tongue	W.
24 880	<i>Acroftichum fep-tentrionale</i>	Acroftichum forked	W.
	— <i>ilvenfe</i>	— hairy	W.
⊙	* <i>Bromus fquarrofus</i>	Brome-grafs field	Gr.
⊙	<i>Bartfia alpina</i>	Bartfia alpine	W.
⊙	— <i>viscofa</i>	— clammy	W.
881	<i>Ballota nigra</i>	L. Horehound ftinking	G.

⊙ 882	<i>Bidens cernua</i>	} L. Water-hemp-agrimony	B.
⊙ 883	— <i>tripartita</i>	nodding	B.
4 884	<i>Ceratophyllum demersum</i>	} L. ——— trifid	B.
4 885	<i>Cyperus longus</i>	} L. Horned-Pondweed	B.
4	<i>Carex incurva</i>	Cyperus sweet	B.
⊙ 886	<i>Cynosurus echinatus</i>	Carex curved	B.
4 887	<i>Convolvulus sepium</i>	Dog's-tail grass prick-ly	Gr.
4 888	<i>Campanula rotundifolia</i>	L. Bindweed large	G.
⊙ 889	<i>Chenopodium urticum</i>	L. Bell flower round-leaved	W.
4 890	— <i>Bonus Henricus</i>	} L. Goose-foot upright	G.
⊙ 891	— <i>rubrum</i>	L. — Good King Henry	G.
⊙ 892	— <i>murale</i>	L. — red	G.
⊙ 893	— <i>hybridum</i>	L. — nettle-leaved	G.
⊙ 894	— <i>album</i>	L. — thornapple-leaved	G.
⊙ 895	— <i>viride</i>	L. — common	G.
⊙ 896	— <i>glaucum</i>	L. — red-jointed	G.
⊙ 897	— <i>maritimum</i>	L. — oak-leaved	G.
4 898	<i>Cerastium aquaticum</i>	— sea	G.
4 899	<i>Clematis Vitalba</i>	L. Mouse-ear Chickweed marsh	B.
4 900	<i>Conyza squarrosa</i>	L. Traveller's joy	G.
4 901	<i>Centaurea nigra</i>	L. Plowman's Spikenard	G.
4 902	— <i>laciniata</i>	L. Knapweed common	G.
4 903	— <i>Scabiosa</i>	L. — jagged	G.
♂ 904	— <i>Calcitrapa</i>	L. — great	G.
4	<i>Dactylis stricta</i>	L. Star-thistle	G.
♂ 905	<i>Dipsacus sylvestris</i>	Cock's-foot-grass water	Gr.
♂	— <i>fullonum</i>	L. Teazel wild	G.
♂ 906	— <i>pilosus</i>	— <i>manured</i>	G.
⊙ 907	<i>Datura Stramonium</i>	L. — small	G.
4 908	<i>Erica vulgaris</i>	L. Thorn-apple	G.
4 909	— <i>cinerea</i>	L. Heath common	Wd.
4 910	— <i>tetralix</i>	L. — fine-leaved	Wd.
4 911	— <i>multiflora</i>	L. — cross-leaved	Wd.
		— many-flowered	Wd.

⊙ 912	Euphorbia Peplus	L. Spurge garden	G.
⊙ 913	—— Peplis	—— purple	G.
⊙ 914	—— exigua	L. —— petty	G.
4 915	—— portlandica	—— Portland	G.
⊙ 916	—— Helioscopia	L. —— sun	G.
⊙ 917	—— platyphyllos	L. —— broad-leaved	G.
4 918	—— Hyberna	—— Irish	W.
⊙ 919	Euphrasia Odontites	L. Eye-bright red	W.
⊙ 920	—— officinalis	L. —— common	W.
⊙ 921	Erigeron canadense	L. Erigeron Canada	G.
4 922	Equisetum hyemale	Shave-grass	B.
4	* Festuca rubra	Fescue-grass red	Gr.
4	—— Cambrica	—— Welch	Gr.
4	Galium pusillum	Ladies-bedstraw small	W.
⊙ 923	—— Anglicum	—— English	B.
4 924	—— boreale	—— cross-leaved	G.
⊙ 925	Gentiana Amarella	Gentian autumnal	W.
⊙	—— campestris	—— field	W.
⊙	—— filiformis	—— least	W.
⊙ 926	Gnaphalium	} L. Cudweed least	W.
	montanum		
⊙	—— gallicum	—— corn	W.
4 927	—— margaritaceum	—— everlasting	G.
⊙	—— supinum	—— dwarf	W.
4 928	—— sylvaticum	L. —— wood	W.
⊙ 929	—— uliginosum	L. —— black-headed	W.
⊙ 930	—— germanicum	L. —— common	W.
4	Juncus filiformis	Rush least	B.
4	—— biglumis	—— two-glum'd	B.
⊙ 931	Illecebrum verti-	} Illecebrum marsh	B.
	cillatum		
4 932	Inula Helenium	Flecampane	G.
4 933	—— dysenterica	L. Fleabane common	G.
⊙ 934	—— pulicaria	L. —— finall	G.
4 935	—— crithmoides	Samphire golden	G.
4 936	Lithospermum	} L. Gromwel common	G.
	officinale		
4 937	Lysimachia vul-	} L. Loose-strife yellow	G.
	garis		

24 938	Leonurus Cardiaca	L. Motherwort	G.
⊙ 939	Lemna minor	L. Duck-weed small	B.
⊙ 940	— <i>gibba</i>	L. — <i>gibbous</i>	B.
⊙ 941	— polyrrhiza	L. — large	B.
⊙ 942	— trifulca	L. — ivy-leaved	B.
24 943	Melica cærulea	L. Melic-grass blue	Gr.
24 944	Marrubium vulgare	L. Horehound common	G.
24 945	Melissa Nepeta	L. Catmint	G.
24 946	Matricaria Par- thenium	} L. Feverfew	G.
⊙ 947	— inodora		
948	Origanum Onites	L. Camomile weak-scented	G.
	Ophrys corallorhiza	Marjoram pot	G.
949	Ofimunda spicant	Orchis coral-rooted	W.
950	— crispa	L. Spleenwort rough	W.
951	— regalis	Fernstone	W.
952	Panicum viride	Ofmund-royal	W.
953	— verticillatum	L. Panic-grass green	Gr.
954	— sanguinale	L. — whirled	Gr.
955	— Crus galli	L. — cock's foot	Gr.
956	Poa aquatica	L. — loose	Gr.
957	Peucedanum Silaus	L. Reed-grass water	Gr.
958	Parnassia palustris	L. Saxifrage meadow	G.
959	Polygonum am- phibium	Grafs of Parnassus	B.
960	— Persicaria	} L. Persicaria amphibious	G.
961	— <i>perisylvanicum</i>		
962	— Hydropiper	L. — mild	G.
963	— minus	L. — <i>pale-flowered</i>	G.
964	— aviculare	L. — biting	G.
965	— Convolvulus	L. — <i>small</i>	G.
966	— Fagopyrum	L. Knot-grass	G.
967	Polypodium Dry- opteris	L. Buck-wheat climbing	G.
	— fontanum	L. — common	
968	— fragile	Polypody branched	W.
	— lonchitis	— rock	W.
24	— phegopteris	— brittle	W.
24 969	— aculeatum	— rough	W.
		— wood	W.
		L. — prickly	W.

24	Polypodium The-lypteris	} Polypody marsh	W.
24 970	— Filix fœmina	L. — female	W.
24 971	— Filix mas	L. — male	W.
24	— lobatum	— lobed	W.
24 972	— cristatum	L. — crested	W.
24	— fragrans	— sweet	W.
24 973	— vulgare	L. — common	W.
24	— rhæticum	— stone	W.
24 974	Pteris aquilinâ	L. Fern or Brakes	W.
24	Schœnus ferrugineus	Bog-rush ferruginous	B.
24	— rufus	— red	B.
24 975	Scirpus cespitosus	L. Club-rush fluted	B.
24 976	— acicularis	L. — smooth	B.
24 977	— fluitans	L. — floating	B.
24	— holoschœnus	— round-headed	B.
24 978	Sifon verticillatum	Honewort whirled	G.
♂ 979	— Amomum	L. Stone-parsley	G.
24	Senecio paludosus	Ragwort marsh	B.
24 980	— crucifolius	L. — hoary	G.
24 981	— farracenicus	— broad-leaved	G.
⊙ 982	Solanum nigrum	L. Nightshade garden	G.
24 983	Samolus Valerandi	L. Water-Pimpernel	B.
24	Salsola fruticosa	Saltwort shrubby	B.
24 984	Sium latifolium	L. Water-parsnep large	B.
24 985	— angustifolium	L. — narrow-leaved	B.
24 986	— nodiflorum	L. — creeping	B.
24 987	Spirœa Ulmaria	L. Meadow-sweet	G.
24 988	Stachys sylvatica	L. Dead-nettle hedge	G.
24 989	— palustris	L. Clown's Wound-wort	G.
24 990	— germanica	Base-horhound	G.
⊙ 991	— arvensis	L. Stachys corn	G.
24 992	Scutellaria minor	L. { Hooded-willow-herb small	B.
24 993	— galericulata	L. — common	B.
24 994	Solidago Virga aurea	} L. Golden-rod common	G.

24 995	Sagittaria sagitti- folia	}	L. Arrow-head	B.
24	Trichomanes py- xidiferum		Trichomanes cup	
24	— Tunbrigense		— Tunbridge	
24 996	Tilia europæa		L. Lime-tree	Tr.
24 997	Veronica scutellata		L. Speedwell bog	B.
© 998	— Anagallis a- quatica	}	L. — water	B.

S E P T E M B E R.

Ye Virgins come, for you their latest song
The woodlands raise; the clust'ring Nuts for you
The lover finds, amid the secret shade,
And where they burnish on the topmost bough,
With active vigour crushes down the tree,
Or shakes them ripe from the resigning husk.

Thomson.

24 999	Arbutus Unedo	}	Strawberry-tree com- mon	Tr.
24 1000	Arundo Phrag- mites		Reed common	Gr.
24 1001	Colchicum au- tumnale	}	Meadow-saffron.	W.
24 1002	Crocus officinalis		Saffron true	W.
24 1003	Erica daboccii		Heath Irish	Wd.
24 1004	Hedera Helix		Ivy	Tr.
24 1005	Leontodon au- tumnale	}	Dandelion autumnal	G.
24 1006	Ophrys spiralis		Ladies-traces	W.
24 1007	Scabiosa Succisa		Devil's-bit	G.
24 1008	Scilla autumnalis		Squill autumnal	W.

O C T O B E R.

Those virgin leaves, of purest vivid green,
 Which charm'd 'ere yet they trembled on the trees,
 Now cheer the sober landscape in decay :
 The Lime first-fading, and the golden Birch,
 With bark of silver hue, the moss-grown Oak,
 Tenacious of its leaves of russet brown,
 Th'enfanguin'd Dogwood, and a thousand tints,
 Which Flora, dress'd in all her pride of bloom,
 Could scarcely equal, decorate the groves.
 Be quick, ye artists, 'ere a biting frost
 Gives scenes like these to scatt'ring winds ; go, bid
 In mimic hues deciduous beauties live.

N O V E M B E R.

Now the leaf
 Incessant rustles from the mournful grove,
 Oft' starting such as studious walk below,
 And slowly circles through the waving air.
Thomson.

D E C E M B E R.

No mark of vegetable life is seen,
 No bird to bird repeats his tuneful call,
 Save the dark leaves of some rude evergreen,
 Save the lone red-breast on the moss-grown wall.
Q 2 *Scott.*

C O N C L U S I O N.

Was every faltering tongue of man,
Almighty Father! silent in thy praise,
Thy works themselves would raise a general voice,
Ev'n in the depths of solitary woods,
By human foot untrod ; proclaim thy pow'r,
And to the quire celestial THEE resound,
Th'eternal Cause, Support, and End of all.

Thomson.

T H E
E N G L I S H N A M E S
O F T H E
B R I T I S H P L A N T S,
A R R A N G E D A L P H A B E T I C A L L Y.

Acrostichum forked	878	Asparagus	204
—— hairy		Asphodel Lancashire	478
Adder's-tongue	134	—— Scottish	
Agrimony	858	Astragalus hairy	
Alexanders	155	Avens water	107
Alkanet evergreen	192	—— common	295
Alder	227	Awlwort	
Allseed	520	Azalea procumbent	
Amaranthus Blite	866		
Anemone white wood	14	Baneberry	58
—— blue	15	Barberry	66
—— yellow	60	Barley-grass wall	603
Andromeda rosemary- leaved	56	—— wood	604
Anthericum bulbous		—— meadow	605
Angelica wild	855	Base-horehound	998
Arrow-head	759	Barbifia clammy	
Arrow-headed grass		—— alpine	
marsh	805	Base-rocket	
—— sea	806	Basil wild	532
Ash	25	Bastard-moneywort	797
Asarabacca	57	Bastard-balm	333
		Bastard-toadflax	

Bastard-moneywort	797	Black-bryony	436
Bastard-pimpernel	514	Blue-bottle	547
Bear's-foot	7	Box-tree	68
Beam-tree white	79	Borage	224
Beech	105	Bog-rush prickly	765
Berry-bearing Alder	146	— black-headed	766
Bell-flower clustered	266	— compressed	767
— corn	267	— white	768
— spreading	502	— brown	
— ivy-leaved	506	— ferruginous	
— round-leaved	886	— red	
Bed-straw mountain	290	Brome-grass soft	65
Bent-grass Norfolk		— wall	
— sheep's-fescue		— upright	222
— dwarf		— barren	223
— bearded	438	— field	
— brown	439	— corn	493
— fine-leaved	440	— tall	494
— white	441	— hairy-stalked	495
— fine-panicked	442	Bryony white	228
— couchy	443	Broom-rape common	
Beet sea	496	— branched	
Betony wood	500	Broom	420
Bilberry marsh		Bramble stone	379
— red	183	— common	739
Bird-cherry	137	Brooklime	843
Birch common	226	Butterbur long-stalked	4
— dwarf		— common	46
Bird's-foot true	343	Butcher's-broom	10
Bird's-eye	366	Bullace-tree	33
Bistort common	367	Buckbean	124
— small	368	Buckthorn	145
Birthwort climbing	477	Bugle common	208
Bindweed large	885	— mountain	
— small	516	Bufonia fine-leaved	
— sea	517	Bugloss small	317
Black-thorn	34	Butterwort small	
Bladder-nut tree	156	— common	349
Blinks	329	Burnet-saxifrage leaf	

BRITISH PLANTS. 127

Burnet-saxifrage small	719	Cat's-tail-grafs panicled	699
———— large	718	Candy-tuft bitter	622
Burdock	475	Carex downy	
Burnet	727	—— Bastard Cyperus	549
Burnet great	772	—— curved	
Bur-reed common	802	—— vernal	
———— small	803	—— pink	88
Burdock lesser	850	—— acute	89
Bulrush	746	—— fingered	90
Buckwheat climbing	963	—— mountain	91
———— common	964	—— Charlton	229
		—— loose	230
Catchfly nightflowering		—— spiked	231
—— English	752	—— bottle	232
—— corn		—— turf	233
—— variegated	395	—— bladder	234
—— Nottingham	396	—— hairy	235
—— sea		—— flea	236
—— common	397	—— panicled	237
Cabbage sea	69	—— soft	238
—— Anglesea		—— sea	239
—— field		—— naked	240
—— perfoliate		—— great	241
Campion berry-bearing	526	—— marsh	
—— bladder	527	—— grey	242
—— Dover		—— prickly	243
—— Spanish	528	—— remote	244
—— moss		—— yellow	245
Calathian Violet	589	—— globular	246
Catmint	687	—— pale	247
Cat's-tail large	828	—— pendulous	248
—— small	829	—— wood	249
Caraway	71	—— small	
Canary-grafs reed	708	—— round-headed	
—— common	707	—— mountain	250
—— cat's tail		—— black	
Cat's-tail-grafs sea	696	—— few-flowered	
—— meadow	697	—— rough	
—— bulbous	698	—— brown	

Carex heath		Cistus hairy	262
— common	251	— mountain	531
— slender-spiked	252	— annual	
— rush	253	Cinquefoil vernal	
— capillary	254	— shrubby	370
Camomile weak-scented	945	— rock	372
— common	864	— tormentil	373
— corn	682	— white	374
Calamint mountain	678	— common	375
— field		Cicely sweet	154
Caucalis broad-leaved		Cives	220
— rough		Cineraria marsh	
— hedge	256	— mountain	264
— field	257	Cloudberry	
— knotted	258	Clary meadow	398
Celandine common	508	— wild	399
Centaury	518	Clove wild	552
Cherry wild	25	Clover	681
— black	25	Clove-chickweed	
Chestnut	106	Cleaver smooth-seeded	
Chara common		— common	
— downy		Club-rush single-headed	
— hispid		— least	744
— flexible		— marsh	745
Chickweed common	53	— pointed	747
— plantain-leaved	197	— sea	748
— thyme-leaved	198	— wood	749
— mountain	199	— few-flowered	
— fine-leaved	200	— fluted	973
— red-flowered	201	— smooth	974
— sea	202	— floating	975
— larch-leaved		— round-headed	
— purslane-leaved	450	Clown's Woundwort	987
Chickweed-winter-green		Clover Dutch	816
Charlock	419	— yellow	817
Cherleria mossy		— alpine	818
Cistus dwarf	529	— broad-leaved	428
— willow-leaved		Comfrey common	402
— narrow-petaled	520		

Comfrey tuberous	403	Crane's-bill wood	298
Coriander	524	— shining	299
Corn-marigold	545	— long-stalked	300
Corn-fallad	177	— jagged	301
Cotton-grafs single-headed	97	Crowberry	96
— many-headed	277	Cross-wort	
Cockle	203	Cranberry	184
Columbine common	206	Crowfoot wood	
— mountain		— bulbous	150
Cow-parsley small	268	— tall	388
— common	70	— celery-leav'd	389
Cow-parsnep	612	— small-flower'd	390
Cow-wheat crested		— corn	391
— corn		— ivy-leav'd	392
— meadow		— water	393
— wood		— creeping	742
Cock's-foot-grafs rough	555	— hairy	743
— water		Crab	
Cotton-thistle	691	Currant red	147
Colewort sea	272	— black	148
Cowslip	364	— alpine	149
Colt's-foot	45	Cuckow-pint	62
Coralwort bulbiferous	94	Cudweed Jersey	
Couch-grafs garden	804	— least	924
Cress-rocket	486	— dioicous	293
Crane's-bill crowfoot	590	— corn	
— mountain	591	— everlasting	325
— true dove's-foot	592	— dwarf	
— bloody	593	— wood	926
— hemlock-leaved	109	— black-headed	927
— spotted-petaled		— common	928
— musk	110	Cyperus sweet	883
— dark-flowered	111	Daffodil common	28
— common dove's-foot	112	— pale	127
— sea	296	Daisy common	67
— knotted	297	— ox-eye	
		Dandelion common	122

Dandelion rough	658	Elm Wych	43
— autumnal	1003	Elder common	407
Dame's-violet		Elecampane	930
Darnel-grafs	641	Enchanter's Nightshade	
Devil's-bit	1005	common	511
Dead-nettle white	119	— alpine	512
— yellow	292	Erigeron biting	278
— purple	191	— Canada	919
— hedge	986	Eryngo sea	562
Deadly Nightshade	470	— common	563
Dewberry	738	Eyebright red	917
Dittander rock	123	— common	918
— narrow-leaved	323		
— broad-leaved	653	Fescue-grafs hard	284
— common		— barren	285
Dogwood	255	— single-glumed	
— herbaceous	256	— wall	286
Dog's-tail-grafs blue	265	— flote	287
— crested	513	— sheep's	578
— prickly	884	— viviparous	578
Dodder		— meadow	579
Dock small-water	729	— tall	580
— bloody	730	— spiked	581
— curled	731	— decumbent	582
— fiddle	732	— wood	583
— great-water	733	— Welch	
— broad-leaved	734	— smooth	
— sharp-pointed	735	— red	
Dryas mountain	274	Fennel	471
Dropwort	792	Feather-grafs	769
Duckweed small	937	Feverfew	944
— gibbous	938	Fern stone	948
— large	939	— common	972
— ivy-leaved	940	Fir Scotch	141
Dwarf Elder	777	— yew-leaved	142
Dyer's-weed yellow	378	— common	143
		Figwort vernal	162
Earth-nut	225	— knobby	794
Elm common	48	— balm-leaved	756

Fluellin sharp-pointed	851	Gladiole water	
—— round-leaved	852	Golden faxifrage com-	
Flaxweed	418	mon	75
Flowering-rush	499	—— alternate-leaved	76
Flag-yellow	632	Gorse	173
—— stinking	633	Goutweed	189
Flax common	646	Gold of pleasure	334
—— perennial	647	Goat's-beard yellow	430
—— narrow-leaved	648	—— purple-flowered	
—— least	649	Golden Lungwort	599
—— purging	650	Golden-rod Welch	800
Fleabane common	931	—— common	992
—— small	932	Goose foot upright	887
Fox-tail-grass meadow		—— red	889
—— field	215	—— nettle-leaved	890
—— jointed	458	—— thorn-apple-leaved	891
—— bulbous	459	—— common	892
—— bearded	460	—— red-jointed	893
Fool's-Parsley	187	—— oak-leaved	894
Fox-glove	558	—— sea	895
Fritillary common	104	Good King Henry	888
Frog-bit	309	Ground-ivy	108
Fresh-water soldier	793	Groundfel	164
Fumitory common	584	Gromwel purple	318
		—— corn	319
Gale sweet	126	—— common	934
Garlic sand	219	Grass-vetch crimson	324
—— round-headed	446	Greenweed Dyer's	594
—— herbaceous		—— hairy	595
—— mountain	856	Ground-pine	812
—— crow	857	Grass-wrack	
Germander	811	Grass of Parnassus	
Gentian autumnal	923	Groundfel stinking	422
—— field		—— mountain	422
—— least		Guelder-rose	180
Glass-wort prickly			
—— jointed	763	Hazel	1
—— shrubby	764	Hawthorn	81
Globe-flower	435	Harebell	114

Hard-grafs sea	214	Heath many-flowered	
Hair-grafs water	216	Hornbeam	92
— early	217	Holly	118
— filver	218	Hop	308
— turfy	461	Hog's-fennel	363
— heath	462	Horfe-tail wood	
— fine-leaved	463	— corn	
— grey	464	— fmoth	281
Hawkweed finall flower-		— marsh	282
ed	306	— river	283
— spotted		Horfe-radish	83
— long-rooted	317	Horfe-shoe vetch	305
— alpine		Horned-poppy violet	
— Dandelion		— red	
— narrow-leaved		— yellow	507
— marsh		Hound's-tongue	515
— creeping	598	Honeyfuckle	644
— shrubby	600	Honewort corn	775
— bufhy	601	— water	776
— rough		— whirled	796
Hart's tongue	877	House-leek	791
Herb Robert	113	Hooded-Milfoil common	
Herb Paris	369	— small	
Herb Truelove	369	Hooded-Willow-herb	
Henbit	120	small	990
Hellebore green	3	— common	991
Hemlock	521	Horehound common	942
Hedge-muftard	574	— flinking	879
Henbane	609	Horned Pondweed	882
Helleborine long-leaved		Hypopitys yellow	
— marsh	801	Jacob's-ladder	
— broad-leaved		Illecebrum marsh	929
— great-flowered		Juniper shrub	311
— narrow leaved		Ivy	1002
— red			
Heath common	906		
— fine-leaved	907	Knapweed common	899
— crofs-leaved	908	— jagged	900
— Irish	1001	— great	901

Knawel annual	409	Lungwort sea	
——— perennial		Lucern	679
Ladies-bedstraw white	587	Lychnis Catchfly	
——— small		——— red	321
——— yellow	588	——— white	322
——— English	921	Lyme-grass sea	560
——— marsh	585		
——— bog	586	Madwort Goose-grass	52
——— upright		Maple Sycamore	63
——— cross-leaved	922	——— common	64
Ladies-finger	474	Marsh-marigold	82
Ladies-slipper	273	Marsh-cinquefoil	269
Ladies-mantle common	190	Mare's-tail	302
——— alpine	467	Masterwort	310
Ladies-traces	1004	Mayweed corn	
Ladies-smock common	85	——— sea	
——— hairy		——— stinking	456
——— bitter	86	Marsh-mallow	473
——— impatient	87	Mallow small-flowered	
——— mountain		——— common	671
——— dairy-leaved		——— dwarf	672
Larkspur	275	——— vervain	673
Leopard's-bane	276	Marjoram pot	946
Lettuce wild	656	——— wild	690
——— prickly		Madder wild	
——— least	657	Marsh-gentian	
Lily of the Valley	72	Maiden-hair true	872
Lime-tree	994	——— black	873
Littorella small	600	——— sea	
Liquorice vetch	455	——— spear-leaved	
Lobelia stinking		——— green	
Loose-strife tufted	642	——— common	875
——— purple-spiked	651	Mat-grass	684
——— hyssop-leaved	652	Mezercon	6
——— yellow	935	Mercury dog's	9
Lovage Scottish	645	——— French	
Lousewort marsh	723	——— English	
Lungwort spotted	136	Medlar	125

Melic-grafs common	327	Mint round-leaved	665
——— mountain	328	——— pepper	666
——— blue	941	——— water	667
Medick hop	335	——— red	668
Meadow-grafs bulbous		——— field	669
——— fmoth-ftalked	350	Milkwort	724
——— rough-ftalked	351	Mofchatel tuberous	55
——— narrow-leaved		Mountain-afh	161
——— wood	352	Mouse-tail	
——— annual	353	Moonwort	
——— hard	354	Mouse-ear	597
——— reflexed	355	Moneywort	643
——— flat-ftalked	700	Motherwort	936
——— alpine		Mouse-ear Chickweed	
——— crefted	701	hoary	77
——— fea	702	——— finall	78
Melilot		——— broad leaved	
Meadow-sweet	985	——— common	260
Meadow faffron	999	——— creeping	261
Medick yellow	680	——— marfh	896
Meadow-rue mountain	807	Mouse-ear-fcorpion-grafs	
——— finall	808	field	330
——— common	809	——— marfh	381
Meadow-faxifrage	955	——— yellow-flowered	330
Mifletoe		Mudwort	635
Milk-vetch purple	206	Mugwort	862
——— alpine		Mullein tall	834
Mithridate-muftard al-		——— Kentifh	835
pine		——— Norfolk	836
——— common	423	——— moth	837
——— broad-podded	424	——— black	833
——— mountain	425	Mustard black	798
——— rough		——— white	799
Millet-grafs corn			
——— wood	661	Navev wild	17
Mint curled		Navel-wort common	259
——— fpear	662	——— yellow	
——— hoary	663	Nettle-hemp red	
——— horfe	664	——— common	291

Nettle-hemp hairy		Orach purslane-leaved	867
Nettle Roman	831	— fea	868
— finall	832	— fpear-leaved	869
— common stinging	833	— fspreading	870
Networt		— oak-leaved	
Nipplewort	659	— grafs-leaved	871
Nightshade woody	773	— peduncled	
— garden	980	Orpine	782
Noncfuch	335	Osmund-royal	949
		Ox-tongue	726
Oak	144	Ox-eye daify	546
Oat-grafs meadow	210	Ox-lip	365
— rough	211		
— yellow	212	Pafque-flower	59
— tall	213	Parity-piert	191
— naked	465	Panfie common	489
— bearded	466	— yellow	490
Orchis early-spotted	131	Parfnef wild	717
— purple-man	132	Panic-grafs creeping	
— man		— green	950
— fpider	133	— whirled	951
— finall-lizard		— cock's-foot	952
— meadow	336	— loofe	953
— dwarf	337	Pear wild	
— marfh	338	Pearlwort upright	
— bird's-nest		— procumbent	400
— coral-rooted		— apetalous	401
— heart-fhaped		Periwinkle finall	
— bog		— large	485
— lily-leaved		Pennywort	304
— fly	339	Pepper-grafs	
— bee	340	Petty-whin	596
— green man	342	Pea everlasting broad-	
— mufk		leaved	638
— butterfly		— narrow-leaved	639
— pyramidal		Penny-royal	670
— late-spotted		Pea-fea	
— fweet fcented		Pellitory of the Wall	728
Orach finking	519	Perficaria amphibious	957

Perficaria mild	958	Pondweed perfoliate	704
—— pale-flowered	959	—— curled	705
—— biting	960	—— dichotomous	706
—— small	961	Poppy round prickly-	
Pheasant's-eye	207	headed	357
Pilewort	37	—— long prickly-head-	
Pig-nut	225	ed	358
Privet	314	—— round smooth-	
Pimpernel yellow	316	headed	359
—— common	468	—— long smooth-head-	
—— bog	469	ed	360
Pink common		—— yellow	361
—— Deptford	550	—— garden	362
—— proliferous	551	Polycarpon four-leaved	709
—— clove	552	Polypody branched	965
—— maiden	553	—— rock	
—— mountain	554	—— brittle	966
Plantain ribwort	135	—— rough	
—— great	710	—— wood	
—— hoary	711	—— prickly	967
—— buckthorn	712	—— marsh	
—— sea	713	—— female	968
Plowman's Spikenard	898	—— male	969
Podded-mouse-ear small	13	—— lobed	
—— Tower	196	—— crested	970
—— rough	61	—— sweet	
Poplar white	29	—— common	971
—— trembling	30	—— stone	
—— black	31	Primrose	36
—— Arbele	32	Prickly-Samphire	
Pondweed ferrated		Purslane water	720
—— shining			
—— flat		Quaking-grass common	491
—— grassy		—— small	492
—— fine		Quillwort	
—— fetaceous			
—— sea		Ramsons	54
—— small		Ragged Robin	320
—— broad-leaved	703	Radish wild	394

Rampion	503	Rush flat-stalked	627
Rampion horned	715	— viviparous	628
Raspberry	737	— bulbous	629
Ragwort common	761	— toad	630
— marsh	762	— glaucous	631
— hoary	978	— spiked	
— broad-leaved	979	Rupture-wort smooth	610
Reed-grass sea	221	— hairy	611
— wood	854	Ruppia sea	
— water	954	Rye, or Ray grass	315
— small			
Reed common	998	Sanicle	404
Restharrow prickly	345	Salsify	431
— smooth	346	Satyrion great lizard	
Red-rattle heath	376	— brown	
Rock-cress	117	— white	
Rose-root	151	— green	760
Rocket sea		— creeping	
Rose sweet-briar	383	Samphire	522
— burnet	384	— golden	933
— white	385	Saintfoin	613
— apple	386	St. Barnaby's Thistle	548
— dog	387	St. John's-wort marsh	621
Rocket creeping	414	— square-stalked	620
— London	417	— mountain	619
— stinking	501	— hairy	618
Rush small-hairy wood	8	— common	617
— large-hairy wood	116	— small upright	616
— hairy field	27	— trailing	615
— trifid		Saxifrage mountain	
— least		— autumnal	750
— three-glumed		— matted	751
— two-glumed		— purple-flowered	44
— sea		— rue-leaved	157
— clustered	623	— white	158
— soft	624	— hairy	410
— goose	625	— marsh	411
— jointed	626	— trifid	412

Saw-wort mountain		Sorrel sheep's	382
—— common	758	Sow-thistle common	421
Santolina sea		—— alpine	
Sallow common	41	—— corn	756
—— long-leaved	42	—— marsh	757
Saffron true	1000	Sope-wort	781
Salt-wort shrubby		Southernwood field	
Scabious mountain	771	Soft-grafs wood	606
—— field	770	—— meadow	607
Scordium	810	Solomon's-seal common	74
Scandix rough-seeded	406	—— sweet	73
Scurvy-grafs common	18	Speedwell spiked	839
—— dwarf	18	—— Welch	840
—— Danish	19	—— male	841
—— sea	20	—— shrubby	842
Service-tree wild	80	—— field	174
—— true		—— ivy-leaved	175
—— bastard		—— trifold	
Selinum marsh	774	—— vernal	
Sea-lavender matted	779	—— mountain	480
—— common	780	—— thyme-leaved	481
Sea-milkwort	294	—— germander-leaved	482
Sea-heath dusty		—— chickweed	483
—— smooth	577	—— bog	995
Self-heal	722	—— water	996
Sheep's-scabious hairy	313	Spleenwort	876
Shepherd's-needle	405	—— rough	947
Shepherd's-purse	172	Spignel mountain	
Sherardia field	152	—— common	188
Shave-grafs	920	Spurge sea	
Silver-weed	371	—— wood	99
Sibbaldia procumbent	408	—— garden	910
Smallage	472	—— purple	911
Snapdragon small	853	—— petty	912
—— large	195	—— Portland	913
Sneezewort	865	—— fun	914
Snowdrop	2	—— broad-leaved	915
Sorrel common	381	—— Irish	916
—— mountain	736	Spearwort small	740

Spearwort great	741	Succory-hawkweed	
Spurry pentandrous		Kentish	510
— pearlwort	753	Succory blue	553
— knotted	754	Sun-dew round-leaved	
— common	755	— long-leaved	
Spurge-laurel	5	Swine's-cress common	270
Spindle-tree	98	— double podded	271
Squill vernal	43	Sweet-cane	205
— autumnal	1006	Swine's-succory leaf	602
Squinancy-wort	445		
Strawberry wood	102	Tanfie	827
— barren	26	Teazel wild	903
Star of Bethl'em yellow		— manured	
— mountain	344	— small	904
— common	128	Thorough-wax common	497
Strawberry-tree common	997	— leaf	498
— alpine		Throat-wort giant	504
— Bearberry		— common	505
Starwort water	93	Thistle curfed	534
Stichwort large	159	— spear	535
— wood	160	— musk	536
— small	413	— curled	537
Stock sea		— welted	538
— yellow	263	— marsh	539
Stone-crop rock	734	— melancholy	540
— sharp-pointed	783	— meadow	541
— white	785	— milk	542
— biting	786	— wooly-headed	
— infipid	787	— dwarf	543
— English	788	— carline	544
— thick-leaved	789	Thrift	778
— bog	790	Thyme wild	814
Stone-parsley	977	— Basil	815
Starwort sea	863	Thorn-apple	905
Star-thistle	902	Tillea mossy	
Stachys corn	989	Tine-tare smooth-	
Succory-hawkweed		podded	279
finking		— hairy-podded	280
— common	509	Toothwort	

Toad-flax ivy-leaved	193	Water-hemlock long-	
— creeping	451	leaved	523
— corn	452	— fine-leaved	716
— common	453	Water-hemp-agrimony	576
— small	454	Water-violet	608
Tordylium officinal		Water-horehound	640
Tower-mustard smooth	433	Water-milfoil spiked	675
— hairy	434	— whirled	676
Tormentil common	479	Water-lily fringed	677
— creeping	479	— yellow	685
Touch me not	634	— white	686
Treacle-wormfeed	575	Water-dropwort com-	
Tree mallow	636	mon	688
Traveller's joy	897	— hemlock	689
Trichomanes cup		— meadow	347
— Tunbridge		Water-betony	795
Trefoil rough	426	Water-hemp-agrimony	
— bird's-foot	427	nodding	880
— subterraneous	429	— trifid	881
— sea	819	Water-pimpernel	981
— hare's-foot	820	Water-parsnep	982
— striated	821	Wall-flower common	84
— round-headed	822	Wayfaring-tree	179
— strawberry	823	Wall-rue	874
— hop	824	Whitlow-grafs common	22
— procumbent	825	— speedwell-leaved	95
— least	826	— wreathen-podded	557
Turnep wild	16	Whins	173
Tway-blade	341	Whortle-berry common	182
		Wheat-grafs rushy	
Water-cress	163	— dwarf	432
Water-radish amphibious	415	Winter-cress	101
— annual	416	Winter-green small	356
Water-plantain great	447	— ferrated	
— creeping		— round-leaved	721
— small	448	Wild-carrot	556
— starry-headed	449	Wild-lettuce ivy-leaved	725
		Willow shining	

BRITISH PLANTS.

141

Willow spurge-leaved		Willow-herb spurious	568
— finooth		— square-stalked	569
— sweet	165	— marsh	570
— herbaceous		— alpine	571
— yellow-barked	166	Wood-ruff	
— almond	167	— common	
— round-leaved		Wood-sorrel	129
— crack	168	— yellow	348
— red		Wood-pea	130
— osier	169	Woad	312
— creeping	170	Wood-sage	813
— sand		Wormwood field	
— rosemary-leaved		— sea	859
— white	171	— common	860
— woolly		— blueish	861
— round-leaved		Yarrow	476
— whortle-leaved		Yellow-rattle	380
Willow-herb rosebay	564	Yellow-wort	525
— large-flowered	565	Yew	41
— hoary	566	Zannichellia	
— mountain	567		

The first part of the paper is devoted to a general
 discussion of the problem. It is shown that the
 problem is of great importance in the theory of
 functions. The second part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The third part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The fourth part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The fifth part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The sixth part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The seventh part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The eighth part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The ninth part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions. The tenth part is devoted to a
 detailed study of the problem. It is shown that
 the problem is of great importance in the theory of
 functions.

A
C A T A L O G U E
O F
B O O K S,
I N
NATURAL HISTORY, MEDICINE,
AND AGRICULTURE,

DEPOSITED IN THE
LIBRARY OF THE GARDEN,
FOR THE USE OF SUBSCRIBERS.

- ADANSON (*Franc.*) *Familles des Plantes*, tom. 2. 8vo.
1763.
AGRICULTURAL SOCIETY (*at Bath*) *Letters and Papers
on Agriculture, Planting, &c.* 8vo. 1780.
ALSTON (*Charles*) *Lectures on the Materia Medica*,
published by Dr. Hope, 2 vol. 4to. 1770.
ANDERSON. *Essays relating to Agriculture and rural
Affairs*, vol. 2. 8vo. 1775.
D'ASO. *Synopsis Stirpium indigenarum Arragoniæ, et
Mantissa.* 8vo. 1779.
BATARRA (*A. J. Ant.*) *Functorum Agri Arimensis His-
toria, cum Iconibus.* 4to. 1759.

BAUHINUS (*Casp.*) *Pinax*. 4to. 1623.

BERGIUS (*Petr. Jonas*) *Materia Medica*, tom. 2. 8vo. 1778.

BERKENHOUT (*John*) *Outlines of the Natural History of Great-Britain and Ireland*. vol. 2d. 8vo. 1770.

————— *Clavis Anglica Linguæ Botanicæ*. 12mo. 1764.

BLAIR (*Patrick*) *Botanic Essays*. 8vo. 1720.

————— *Pharmaco-Botanologia*. 4to. 1733.

BLACKSTONE (*J.*) *Specimen Botanicum*. 8vo. 1746.

BOERHAVE (*Herman.*) *Materia Medica*. 12mo. 1755.

BOTANICAL SOCIETY (*at Lichfield*) *System of Vegetables*. 8vo. Part 1. 2. 1782.

BRUNNICH (*M. Th.*) *Fundamenta Zoologiæ*. 8vo. 1772.

————— *Entomologia*. 8vo. 1760.

BUTLER (*Ch.*) *History of Bees*. 4to. 1634.

CULLEN (*William*) *Lectures on the Materia Medica*. 4to. 1772.

CURTIS (*William*) *Flora Londinensis*. Folio. Vol. 1. Plates coloured. 1777.

————— *Illustration of Linnæus' Classes and Orders of Plants. With original Plates*. 4to. Coloured. 1777.

————— *Instructions for collecting and preserving Insects*. 8vo. 1771.

————— *Short History of the Brown-tail Moth*. 4to. 1782.

DALE (*Sam.*) *Pharmacologia*. 4to. 1737.

DEERING (*C.*) *Catalogus Stirpium, &c.* 8vo. 1738.

DILLENIUS (*Jo. Jac.*) *Catalogus Plantarum circa Gissam nascentium*. 12mo. 1719.

————— *Hortus Elthamensis*. Fol. 1774.

EVELYN (*John*) *Sylva, or Discourse on Forest Trees, with Notes by Dr. A. Hunter.* 4to. Plates. 1776.

Kalendarium Hortense. 8vo. 1691.

Edit. 8.

FORDYCE (*Geo.*) *Elements of Agriculture and Vegetation.* 8vo. 1771.

FORSTER (*Jean. Rein.*) *Novæ species Insectorum* Centur. I. 8vo. 1761.

————— *A Catalogue of British Insects.* 8vo. 1770.

FUCHSIUS (*Leohn.*) *Icones Plantarum.* 8vo. Imperfect.

GATAKER (*Thomas*) *Observations on the internal Use of Nightshade.* 8vo. 1757.

GEOFFROY *Histoire abrégée des Insectes qui se trouvent aux environs de Paris, avec Planches.* Tom. 2. 4to. 1762.

GOEDARTIUS (*Joh.*) *de Insectis Opera M. Lister.* 8vo. 1685.

GREW (*Nehem.*) *Anatomy of Plants.* Fol. 1682.

HALLER (*Albert*) *Opuscula.* 8vo. 1749.

HALES (*Stephen*) *Vegetable Staticks.* 8vo. 1727.

HERMANNUS (*Paul*) *Paradisus Batavus.* 4to. 1648.

————— *Cynosura Materiae Medicæ.* 4to. 1710.

HUDSON (*Gul.*) *Flora Anglica.* Edit. 1. 8vo. 1762.

————— *Flora Anglica.* 8vo. Edit. 2. 1778.

JACOB (*Ed.*) *Plantæ Favershamienses.* 8vo. 1777.

JACQUIN (*Nic. Jos.*) *Flora Austriaca.* Fol. Vol. 1, 2, 3, 4, 5. 1773.—1778.

————— *Miscellanea Austriaca.* Vol. 1. 4to. 1778.

JENKINSON (*James*) *Generic and Specific Descriptions of the British Plants from Linnæus.* 8vo. 1775.

Index Plantarum officinalium in Horto Cheltenham. 12mo. 1730.

KENT (*Nath.*) *Hints to Gentlemen of landed Property.* 8vo. 1775.

KONIG (*Eman.*) *Regnum Vegetabile.* 4to. 1696.

LEE (*James*) *Introduction to Botany.* 8vo. 3d Edit. 1776.

LESSER (*Mons.*) *Theologie des Insectes.* 8vo. 1742. *par Lyonnet.*

LETTSON (*John Coakley*) *Naturalists and Travellers Companion.* 8vo. 1772.

LEWIS (*William*) *New Dispensatory.* 8vo. 1770.

LIGHTFOOT (*John*) *Flora Scotica.* 8vo. Vol. 2. 1777.

LINNEUS (*Car.*) *Systema Vegetabilium, a Murray.* 8vo. 1774.

————— *Mantissa Plantarum altera.* 8vo. 1771.

————— *Spec. Plantarum. Edit. 3. Vol. 2.* 1764.

————— *Genera Plantarum.* 8vo. 1764.

————— *Bibliotheca Botanica.* 12mo. 1736.

————— *Philosophia Botanica.* 8vo. 1763.

————— *Systema Naturæ. Tom. 3.* 8vo. 1768.

————— *Amœnitates Academicæ. Vol. 1-5, 6, 7.*

1749-69.

————— *Fauna Suecica.* 8vo. 1761.

————— *Materia Medica. Edit. Schreber.* 8vo. 1762.

LISTER (*Mart.*) *Exercitatio Anatomica de Cochleis, &c.* 8vo. 1694.

LUDWIG (*Christ. Gottlieb.*) *Institutiones Historico-physicæ regni Vegetabilis.* 8vo. 1757.

CATALOGUE OF BOOKS. 147

MALPIGHI (*Marcel.*) *Opera omnia.* Vol. 2. 4to. 1687.

————— *Anatome Plantarum.* Fol. 1675.
 MATTHIOLUS (*Petr. Andr.*) *Commentaria in sex Libros Dioscoridis de Medica Materia plurimis Iconibus illustrata.* Fol. 1565.

MERIAN (*Mar. Sibil.*) *Erucarum Ortus Alimentum et paradoxa Metamorphosis.* 4to. 1717.

MERRETT (*Christ.*) *Pinax rerum naturalium Britannicarum.* 8vo. 1667.

MICHELI (*Petr. Ant.*) *Nova Plantarum Genera.* 4to. Cum Iconibus. 1729.

MILLER (*John*) *Illustration of the Sexual System of Linnæus,* 1 vol. 8vo. 1779.

MILLER (*Phil.*) *Gardener's Dictionary abridged.* 6th Edit. 4to. 1771.

————— *Gardener's Kalendar.* Edit. 16. 8vo. 1765.

MILNE (*Colin*) *Institutes of Botany.* 2 Parts. 4to. 1771.

————— *Botanical Dictionary.* 8vo. 1770.

MOUFFET (*Thom*) *Theatrum Insectorum.* Fol. cum Iconibus. 1634.

NEALE (*Adam*) *Catalogue of the Plants in Mr. Blackburn's Garden at Orford.* 1 Vol. 8vo. 1779.

NECKER (*N. J. de*) *Methodus Muscorum.* 8vo. 1771.

NEWMAN (*Casp.*) *Chemical Works,* by Lewis. 2d Edit. Vol. 2. 8vo.

Nomenclator Botanicus Lipsiæ. 8vo. 1772.

OEDER (*Geo. Christ.*) *Enumeratio Plantarum Floræ Danicæ, Pars prima.* 8vo. 1770.

————— *Elementa Botanica.* 8vo. 1764.

PARKINSON (*John*) *Theatre of Plants*. Folio. 1640.
Pharmacopœia Londinensis. 8vo. 1763.

Pharmacopœia Collegii regii Medicorum Edinburgensis.
 8vo. 1774.

PLAT (*Hugh*) *Garden of Eden*. 12mo. 1653.

PULTNEY (*Richard*) *General View of the Writings of*
Linnæus. 8vo. 1781.

RAJUS (*Joh.*) *Synopsis Stirpium Britannicarum*. 8vo.
 Edit. 3d. 1724.

Catalogus Plantarum circa Cantabrigiam. 12mo. 1660.

REDI (*Franciscus*) *Opuscula de Insectis, &c.* Tom. 2.
 12mo. 1636.

ROBSON (*Stephen*) *British Flora*, 1 Vol. 8vo. 1777.

ROSE (*Hugh*) *Elements of Botany*, 1 Vol. 8vo. 1775.

ROTHERAM (*John*) *Caroli a Linnè Termini Botanici*.
 12mo. 1779.

ROTTBOLL (*Christ. Friis.*) *Novarum Plantarum Descriptiones et Icones*. Fol. 1778.

RUPPIUS (*Hcn. Bernh.*) *Flora Jenensis*. Edit. Haller.
 8vo. 1745.

RUTTY (*Joh.*) *Materia Medica illustrata*. 4to. 1775.

SCHAUENBURG (*Joh.*) *Agrostographia*, 1 Vol. 4to. Edit.
 Haller. 1775.

SCHREBER (*Joh. Christ. Dan.*) *Beschreibung der Grafer*.
 Fol. 1769.

Observationes de Phasce, cum
Iconibus. 4to. 1770.

Lithographia Hallensis. 8vo.
 1759.

SCOROLI (*Joh. Ant.*) *Flora Carniolica*. Tom. 2. 8vo.
 1772.

SCOPOLI (*Job. Ant.*) *Entomologia Carniolica.* 8vo.
1763.

————— *Annus Historico Naturalis,* 8vo.
1769.

SOCIETY OF PHYSICIANS (*in London*) *Medical Observations and Enquiries.* Vol. 5th. 1776.

STILLINGFLEET (*Benjamin*) *Miscellaneous Tracts.* 2d
Edit. 8vo. 1762.

SWAMMERDAM (*Jean*) *Histoire Generale des Insectes.*
4to. 1685.

TOURNEFORT (*Jos. Pitton.*) *Institutiones Rei Herbariæ.*
Tom. 3. 4to. 1700.

————— *Histoire des Plantes qui Naissent
aux Environs de Paris.* 12mo. 1648.

VAILLANT (*Sebast.*) *Botanicon Parisiense.* Fol. 1727.

————— *De Structura Florum.* 4to. 1727.

VAN ROYEN (*Adrian.*) *De Anatome et Oeconomia Plan-
tarum.* 4to. 1728. *Diss. inaug.*

WALCOTT (*John*) *Flora Britannica indigena.* 14 Num-
bers. 8vo. 1778.

WARNER (*Richard*) *Plantæ Woodfordienses.* 8vo.
1771.

WEIS (*Frid. Gul.*) *Plantæ Cryptogamicæ.* 8vo. 1770.

WEPFERUS (*Job. Jac.*) *Cicutæ aquaticæ Historia et
noxæ.* 4to. 1679.

WILlich (*Christ. Lud.*) *De Plantis quibusdam Obser-
vationes.* 8vo. 1762.

WESTON (*Richard*) *English Flora.* 1 Vol. 8vo. 1775.

WITHERING (*William*) *Botanical Arrangement of the
British Vegetables.* 2 Vol. 8vo. 1776.

YEATS (*Th. Pattinson*) *Institutes of Entomology.* 8vo.
1773.

*To promote a Knowledge of the Plants of our
own Country.*

There is now publishing periodically in *Numbers*,
price 5s. coloured, or 2s. 6d. plain,

THE FLORA LONDINENSIS

A new and original Botanic Work, intended to comprehend all the *Plants* which grow wild in *Great-Britain*, beginning first with those which are found in the *Environs of London*.

By WILLIAM CURTIS.

This Work is of a *Folio* size, each Number contains *six Plates*, having in general *one Plant* on a Plate, with *six Pages* and sometimes more of Letter-press; the Plants are represented of their natural Size, and in their true Colours; in the Letter-press are given first the *Linnæan*, and *English Names*, next the *Synonyma* of the most interesting Authors, then follows a *minute Description* of the Plant in Latin and English, which is succeeded by an Account of the *History*, *Peculiarities*, *Oeconomy*, and *Uses* of the Plant, either selected from the most approved Authors on *Medicine*, *Agriculture*, *rural Oeconomy*, and *other Arts*; or furnished from the Observations of the Author and his Friends.

Published by the AUTHOR at his *Botanic Garden*, and *B. White, Fleetstreet*, where any of the Numbers from 1 to 46 may be had, either plain or coloured, as also the following :

Price 7s. 6d. coloured.

LINNÆUS'S SYSTEM OF BOTANY (so far as relates to his *Classes* and *Orders* of Plants) illustrated by Figures entirely new, with copious explanatory Descriptions.

Price 2s. 6d.

FUNDAMENTA ENTOMOLOGIÆ, or an *Introduction* to the *Knowledge* of *Insects*, being a Translation of the *Fundamenta Entomologiæ* of LINNÆUS, farther illustrated by Copper-plates, and Additions.

Price 1s.

INSTRUCTIONS for COLLECTING and PRESERRVING Insects, particularly *Moths* and *Butterflies*, illustrated with Copper-plates, on which the Nets, and other Apparatus necessary for that Purpose are delineated.

Price 1s. 6d.

A SHORT HISTORY OF THE BROWN-TAIL MOTH, the Caterpillars of which, in the Year 1782, were so uncommonly numerous and destructive in the Vicinity of the Metropolis, as to cause an Alarm of the Plague, illustrated by a Copper-plate coloured from Nature, representing the Insect in its various states.



Med. Hist.
WZ
260
C 979C
1783

